

XINJIATE

广州欣加特机械设备有限公司

GUANGZHOU XINJIATE MACHINERY EQUIPMENT CO., LTD.

电话 (Tel) : 4000650018

手机 (Phone) : +86 18933909113 13660148928

15322213481 13535150368

官网 (Web) : www.food-xyt.com

中国广东省 广州市 白云区 太和镇石湖七社工业路 5 号

No.5 Shihu Qishe Industrial Road, Taihe Town, Baiyun District,

Guangzhou City, Guangdong Province, China



XINJIATE
欣加特



XINJIATE

(综合图册)
COMPREHENSIVE PICTURE ALBUM

广州欣加特机械设备有限公司

Guangzhou XinJiaTe Machinery Equipment Co., Ltd.

公司简介

专业专注, 广州欣加特机械设备有限公司成立于 2007 年, 座落在中国广东省广州市, 区域制造资源优厚, 物流体系发达。

欣加特是一家设计、制造、销售为一体的现代化企业, 我们有着多年的机械设备行业经验, 有专业的生产加工管理团队, 专业的机械工程师, 我们不仅自己工厂制造产品, 还基于我们的行业经验给客户提供优质的配套订购服务, 专注食品设备的制造和销售, 提供的产品包括肉制品加工设备、粉碎研磨设备、果蔬加工设备、烘焙设备、面制品设备, 以及配套包装设备等。

可以根据客户的需求提供非标定制和整套流水线生产解决方案。

COMPANY PROFILE

Guangzhou Xinjiate Machinery Equipment Co., Ltd. was established in 2007, located in Guangzhou, Guangdong Province, China. We are specialized and dedicated in the production and sales of food machinery such as meat processing equipment, grinding and crushing equipment, fruit and vegetable processing equipment, and noodle baking and processing series.

We have been in this line for more than 15 years. We are a modern enterprise integrating design, manufacturing and sales. Not only manufacture products in our own factories, but also provide customers with high-quality supporting ordering services based on our industry experience which means we can provide non-standard customization and complete assembly line production solutions according to customer needs.



联系我们 (中国)
Contact us (China)



联系我们 (英语版)
Scan the code to enter the main
English website



联系我们 (英语版)
Scan the QR code to enter the main
Website International Station



目录 CONTENT

公司简介 01-02
Company Profile

肉制品加工系列 03-38
Meat processing series

果蔬类加工系列 39-62
Fruit and vegetable processing series

粉碎研磨加工系列 63-70
Crushing and grinding series

面食烘培加工系列 71-90
Pasta baking processing series



双刀变频调速肉丸机

Double knife variable frequency speed control meatball machine

型号 Model	XJF-50000
电压 Voltage	110/220/380V
功率 Power	3.7kw
产量 Yield	400-600pcs/min
肉丸直径 Meat ball diameter	Φ12-20mm
产品尺寸 Product size	1050*600*1800mm
产品重量 Product weight	≈ 250kg

设备使用双刀的切刀可做肉丸、肉丸、蛋丸、珍珠丸等实心丸等。

The equipment can be used to cut fish balls, meat balls, plant balls, pearl balls and other solid balls.



肉丸机

Meat balls dumplings machine

型号 Model	XJT-60E	XJT-060E
电压 Voltage	110/220/380V	110/220/380V
功率 Power	2.2kw	2.2kw
产量 Yield	150-300kg/h	80-150kg/h
肉丸直径 Meat ball diameter	14-26mm	26-63mm
产品尺寸 Product size	680*380*1200mm	750*450*1610mm
产品重量 Product weight	≈ 80kg	≈ 105kg

可以制作各类肉丸，有弹性、有弹性的猪肉丸、鱼丸、牛肉丸、鸡肉丸。配有不同大小丸子模具。

It can be used to make all kinds of meat balls, fish balls and elastic pork balls, fish balls, beef balls and chicken balls, and is equipped with ball molds of different sizes.

包馅肉丸机 Filling meatball machine



型号 - Model	XJ1100X
电压 - Voltage	110/220/380V
功率 - Power	1.5kw
产量 - Yield	130-170pcs/min
肉丸直径 - Meat ball diameter	Φ25-40mm
产品尺寸 - Product size	800*700*1650mm
产品重量 - Product weight	≈ 250kg

可生产鱼蛋丸、猪肉丸、猪肉牛肉丸、爆汁小肉丸等多种球状肉类包馅产品。

It can produce variety of spherical sausage packing products, such as eggplant fish balls, pork balls, variety of meatballs, meat fish balls, etc.



肉羹肉条机 Meat soup and meat ball machine



型号 - Model	XJ1100ZZB
电压 - Voltage	380V
功率 - Power	2.05kw
产量 - Yield	90-500kg/h
产品尺寸 - Product size	1000*550*1850mm
产品重量 - Product weight	≈ 190kg

适用于制作肉羹、肉条、脆皮丸子等产品。设备采用双调速变频控制成型速度。裹粉速度可调。出丸规格可定制。

It is suitable for making meat soup, meat strips, crispy skin balls and other products. The equipment adopts double speed frequency conversion control to form the speed. The裹粉 speed is adjustable. The ball specification can be customized.



智能双温水煮熟化定型槽

Intelligent dual-temperature water cooking setting tank



型号 Model	电压 Voltage	功率 Power	产量 Total	产品尺寸 Product size	产品重量 Product weight
XJT-SC1500	110/220/380V	15kw	250L	1400*550*110mm	≈ 80kg

可根据客户不同需求提供非标定制

适用于各种肉丸等定型熟化等，设备设计中间采用聚氨酯，取保温隔热作用，双温加热，独立控制，定型熟化分别控制加热温度，加热速度快，省电省心，可根据客户需求定制不同规格不同加热方式。

Non-standard customization can be provided according to different needs of customers.

It is applicable to shaping and cooking of various meatballs, etc. Insulating agent is used in the middle of equipment design, with the function of heat preservation and insulation, double tank heating, independent control, and shaping and cooking separately control the heating temperature. The heating speed is fast, and power saving is more convenient. Different heating methods of different specifications can be customized according to customer needs.



压鱼饼压扁机

Fish cake press



采用输送带和压皮方向同时运转，配合胶头滚轴使用使压成饼状不粘黏连，适用于经常做的各种饼状产品。

The conveyor belt and the reverse direction are operated simultaneously, and the rubber head roller is used to make the pressed cake not easy to stick. It can be used to shape various cake products such as fish cakes.



型号 Model	电压 Voltage	功率 Power	输送带宽度 Hopper width (mm)	产品尺寸 Product size
XJF-RB300	110/220/380V	0.12+0.12kw	300mm	1500*680*480mm



肉卷腐皮卷机

Meat roll and skin roll machine



腐皮卷机是一款取代手工的机器，可制作肉卷、韭菜肉卷、潮汕猪肉、蒜泥玉子卷、鱼卷、虾卷、墨鱼卷等各种各样的食品。

This machine can make meat rolls, fish rolls, shrimp rolls, cuttlefish rolls and other kinds of rolls.

型号 Model	电压 Voltage	功率 Power	产量 Rate	产品尺寸 Product size	产品重量 Product weight
XJF-RJ180	110/220V	1.01kw	120pcs/min	2500*650*1650mm	≈300kg

手动肉饼机

Manual meat patty machine

肉饼直径 - meat patty diameter

Φ100/130/150mm

产品尺寸 - Product size

230*165*270mm

产品重量 - Product weight

≈ 4.0kg



全自动肉饼机

Fully automatic meat patty machine



型号 - Model	XJ1-MB100
电压 - Voltage	110/220/380V
功率 - Power	0.55kw
产量 - Yield	≈ 35pcs/min
制饼量 - Meat capacity	30L
肉饼直径 - meat patty diameter	Φ10-120mm
肉饼厚度 - meat patty thickness	6-10mm
产品尺寸 - Product size	800*600*1400mm
产品重量 - Product weight	≈ 100kg

全自动肉饼成型机能自动完成馅料的去壳、成型、制饼、输出等工序，可以生产市场上流行的汉堡肉饼、夹肉鸡块、炸鸡汉堡肉饼、土豆饼、南瓜饼、肉串等产品。

The automatic meat patty forming machine can automatically complete filling, molding, patty, output and other processes of stuffing, and can produce popular hamburger patties, McWagyu, pork sausage hamburger patties, potato cakes, pumpkin cakes, meat skewers and other products in the market.



鱿鱼拉松机

Squid peeling and stretching machine



鱿鱼拉松机用于把处理后的鱿鱼进行拉伸和纤维疏松，使鱼片外观漂亮，口感更佳。

The manual stretching machine and peeling machine is used to stretch and loosen the fibers of marinated squid, making the appearance of the fish film beautiful and the taste better.



型号 Model	电压 Voltage	功率 Power	产能 Yield	产品尺寸 Product size	产品重量 Product weight
XJF-LSH5	380V	1.5kw	≈ 300kg/h	1500*1000*1200mm	≈ 350kg



鱿鱼挤丝机

Squid extrusion machine



将处理好的鱿鱼框放入挤丝机传送带上，经过挤丝机辊子挤压，由果腹产品呈条状，条状规格分别为2.5mm、3mm、3.5mm 供客户选择。

Place the treated squid frame into the conveyor belt of the extruder, and after being squeezed by the extruder rollers, the resulting product is in a strip shape with specifications of 2.5mm, 3mm, and 3.5mm for customers to choose from.

型号 Model	电压 Voltage	功率 Power	产能 Yield	产品尺寸 Product size	产品重量 Product weight
XJF-JS500	380V	1.5kw	≈ 200kg/h	1300*600*1000mm	≈ 300kg

平行鲜肉切片机

Parallel fresh meat slicer

型号 Model	XJT-F9000
电压 Voltage	220V
功率 Power	0.75kW
切片厚度 Slice thickness	3-40mm
包装尺寸 Package size	920*680*520mm
产品重量 Product weight	≈ 70kg

用途：鲜肉进行多片水平式切割。适用于猪牛鸡鸭肉等新鲜原料薄片的切割加工，厚度可调节。

Use: It can be used for horizontal cutting of pork, beef, chicken, duck and other fresh raw materials, with adjustable thickness.




平行切肉丁肉条肉块机

Parallel chopping machine

输送带输送肉切条、切片、切丁、切块等。整机不锈钢。风冷马达连续工作不发热。双密封机壳防水可直接用水冲洗带运转，输送带易拆卸，可折叠，清洗方便，送料速度可调节，手刀和刮刀均可根据用户需求互换，装卸简单便捷。输送带防断裂设计。

The conveyor belt is used to transport meat cutting strips, slices, cubes, etc. The stainless steel and air-cooled motor at the whole machine work continuously without heating. The double-sealed machine body is waterproof and can be directly flushed with water. The conveyor belt is easy to disassemble, fold, and clean. The feeding speed is adjustable. The conveyor belt is designed to prevent fracture.



型号 Model	电压 Voltage	功率 Power	产量 Yield	包装尺寸 Package size	产品重量 Product weight
XJT-QR300	380V	0.75kW	≈ 600kg/h	2000*550*1310mm	≈ 100kg
XJT-QR500G	380V	1.5kW	≈ 1000kg/h	2000*550*1310mm	≈ 110kg

滚筒式冻肉刨肉机

(Rolling type frozen meat slicer)



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product Size	产品重量 Product weight
XJT-FR3000	380V	13kw	3000-4000kg/h	3100*1200*1700mm	≈ 900kg

猪肉去皮开片机

(Pork peeling and slicing machine)

机器特点：去皮开片独立路，脚踏开关，操作方便。

Machine features: the peeling / slicing can be adjusted at will, and the foot switch is convenient to operate.

XJT-QP500



XJT-QP300



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product Size	产品重量 Product weight
XJT-QP700	220/380V	0.37kw	≈ 10m/min	500*500*460mm	≈ 25kg
XJT-QP500	220/380V	0.75kw	≈ 10m/min	815*710*800mm	≈ 120kg

全自动切片机
Full automatic slicer

适合切冷盘肉、腊肉、无骨肉类、火腿切片及其它坚韧和富有弹性的食物。特别对猪肉切薄片等。

It is suitable for cutting cold slices meat, ham, boneless meat, ham slices and other food with elasticity similar to chicken, and cutting very thin slices of meat.



型号 Model	电压 Voltage	电机功率 Motor power	刀片功率 Blade power	刀片直径 Blade diameter	产品尺寸 Product size	产品重量 Product weight
XJ1-300A	110/220V	0.37kw	0.18kw	300mm	540*460*650mm	≈ 50kg
XJ1-300A	110/220V	0.37kw	0.55kw	320mm	800*550*670mm	≈ 80kg

半自动切片机
Semi automatic slicer

型号 Model	电压 Voltage	功率 Power	产品尺寸 Product size	产品重量 Product weight
XJ1-0250	110/220v	0.24kw	535*475*420mm	≈ 22kg
XJ1-0300	110/220v	0.27kw	590*530*450mm	≈ 28kg



切肉机

MEAT CUTTER

型号 Model	XJT-880D
电压 Voltage	380V
功率 Power	1.14kw
产量 Yield	≈ 100kg/h
机器尺寸 Machine size	650*380*730mm
机器重量 Machine weight	≈ 10kg

适用于可切猪肉、腿肉、鸡胸肉、牛肉、鱼肉、海带等进行切片、切丝、切丁适合酒楼、餐厅、肉档、小型加工厂。
It is suitable for cutting pork, pork, chicken breast, beef, fish skin, kelp, etc. for slicing, shredding, and dicing suitable for restaurants, restaurants, meat shops, and small processing plants.



XJT-1A



XJT-1A

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product Size	产品重量 Product weight
XJT-1A	110/220V	0.55kw	150-300kg/h	460*280*470mm	≈ 33kg
XJT-1A	110/220V	0.75kw	300-500kg/h	560*380*735mm	≈ 42kg

鲜肉开条机

Fresh meat slicing machine



适合规模大的餐饮肉类加工企业，切肉机刀具采用 143MM 直径刀体轴头，刀轮与轴为一体，两边采用轴承作机座通过螺栓固定。

Suitable for catering or meat processing enterprises with large specifications, the total length of the meat roller adopts a 143mm diameter knife that integrates bearings and sprocket gears. The supporting side pieces on both sides are connected to the base through screws.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJ1-1500	220/380V	1.5kw	≈ 1500kg/h	800*620*930mm	≈ 100kg

切肉切片切丝机

Slicing and shredding machine



XJ1-5500A



XJ1-5800A



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJ1-5500A	110/220/380V	1.5kw	≈ 500kg/h	400*400*870mm	≈ 84kg
XJ1-5800A	110/220/380V	1.5kw	≈ 800kg/h	500*500*930mm	≈ 138kg

一款性切肉机，双层刀具，一次切肉丝，再次切断（抽出下层刀具可切肉片）。

Disposable shredder with double layer cutting tools, capable of cutting meat shreds once and granulating twice (removing the lower layer of cutting tools can cut meat slices).

刨肉机 Meat slicer



采用大扭矩力皮带驱动刀片转动，刨肉力强大，可刨零下18度以内冻肉而无需解冻，刨肉刀片采用锻造技术，并用六个螺栓固定在刀座，刨肉时不松动，不断裂，经久耐用。（刨肉厚度可调）

Using a large torque belt-driven blade to rotate, the meat slicing force is strong, and it can slice frozen meat at minus 18 degrees without thawing. The meat slicing blade adopts forging technology and is fixed on the cutterhead with six bolts. It does not jump or break during meat slicing, and is durable. (The thickness of the sliced meat can be adjusted.)



型号 Model	电压 Voltage	功率 Power	产量 Output	刨肉厚度 Meat thickness	产品尺寸 Product size	产品重量 Product weight
XJT-PR1000	380V	4kw	≈ 800kg/h	1-15mm	1300*640*1270mm	≈ 500kg

一次性切肉丁机 Disposable diced meat cutter



型号 Model	电压 Voltage	电动机/减速机功率 oil pump power/reducer power	产量 Yield	切割产品尺寸 Cutting product size	产品尺寸 Product size
XJT-DH500	380V	1.5kw/1.5kw	500-600kg/h	840*640*250mm	1480*600*980mm
XJT-DH800	380V	1.5kw/2.2kw	700-900kg/h	120*120*550mm	1950*1000*1120mm

本机可切0℃~5℃的冻肉块、鲜肉、鱼块、蔬菜蔬菜等切成肉丁、粒、碎粒刀具。刀片可自行拆卸而调出不同尺寸。切丁规格高，切断后可调整：4.5 6 7 8 10 12 14 16 20 24 30 40 60 120

The machine can cut frozen meat cubes, fresh meat, fish, other vegetables, etc. from 0 to 5 °C into small pieces or granules. Cold cutting tool, which can be disassembled and adjusted to different sizes, with high cutting standards and optional cutting sizes: 4.5 6 7 8 10 12 14 16 20 24 30 40 60 120.

切熟腊冻肉机

Cooked/Preserved Meat Chiller



型号 Model	电压 Voltage	功率 Power	切割厚度 Cutting thickness	输送带宽 Belt width	产品尺寸 Product size	产品重量 Product weight
XJT-SM1000	380V	1.15kw	1-55mm	100*110mm	1960*700*1160mm	≈ 175kg



切熟腊冻肉机

Cooked/Preserved Meat Chiller



用途：能切各种不同形状的猪肉、牛肉、去壳猪肉、行干、微冻肉等切成片状或块状。

Use: It can cut all kinds of pork, beef, cooked pork with two bones, dried hams, and slightly frozen meat into slices or blocks.

型号 Model	电压 Voltage	功率 Power	切割厚度 Cutting thickness	产品尺寸 Product size	产品重量 Product weight
XJT-SR130S	380V	0.77kw	1-32mm (可调/adjustable)	1380*680*1200mm	≈ 140kg

数控切肉卷机

CNC meat cutting roll machine



模拟手工切片的原理，采用变频调速，自动送料原理，可根据不同需求选择一次切2、4、6、8片的羊肉。本机使用PLC控制，非进电机传动，磨损少，寿命长，传动精准，可根据自己所需要的厚度在数控面板自动加减，最低温度可切-18度的物品（无需解冻），适用于大型冷冻批发大型餐饮使用。

Simulate the principle of manual slicing, using gearbox transmission and automatic feeding, you can choose to cut 2, 4, 6, and 8 rounds of lamb at once according to different needs. This machine is controlled by PLC and driven by a stepper motor, with low teeth, it is driven by dust gearbox and automatically extracts. It can be automatically adjusted on the PLC panel according to the thickness you need. The minimum temperature can be cut to -18 degrees Celsius without thawing, making it suitable for large-scale frozen wholesale and large-scale catering use.



型号 Model	电压 Voltage	功率 Power	刀速 Roller speed	产品尺寸 Product size	产品重量 Product weight
XJT-QP2	220/380V	2.2kw	50-60 次 / 分 (times/minute)	1100*550*1300mm	≈ 200kg



工业绞肉机

Industrial meat grinder



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-JR1200	380V	11kw	≈ 3000kg/h	1060*700*1140mm	≈ 320kg
XJT-JR1250A	380V	31kw	≈ 4.5t/h	2090*1150*1640mm	≈ 1.2t

大功率绞肉机

High power meat grinder



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-D22A	220V	1.1kw	≈ 250kg/h	520*250*385mm	≈ 22kg
XJT-D22A	200V	1.5kw	≈ 350kg/h	530*260*390mm	≈ 24kg
XJT-D33A	220V	2.2kw	≈ 350kg/h	540*300*390mm	≈ 27kg



立式绞肉机

Vertical meat grinder



绞肉机可绞各种肉，冻肉，火腿，培根，香肠等。最新刀口下料式设计，快速下料不堵料。

The meat grinder can grind all kinds of meat, frozen meat, ham and sausage, chili, garlic and garlic, etc. The latest square mouth blanking blade design allows for blanking without blocking.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-JR33A	220/380V	3kw	120-360kg/h	815*360*815mm	≈ 72kg
XJT-JR47A	220/380V	4kw	220-600kg/h	1005*535*965mm	≈ 155kg
XJT-JR52A	380V	5.5kw	600-1200kg/h	1240*630*1060mm	≈ 230kg



三网二刀绞肉机

Three nets and two knives meat grinder

型号 Model	XJF-3W500HL
电压 Voltage	380V
功率 Power	3kw
产量 Yield	≈ 1000kg/h
产品尺寸 Product size	795*504*1115mm
产品重量 Product weight	≈ 1115kg



绞肉机

Meat grinder



本款绞肉机所有与食品接触部位的材料全部采用优质不锈钢，产品设计完全符合欧洲安全标准。外观美观，结构紧凑，非常适合酒店、肉类加工行业、学校、餐馆及其他食品服务企业使用。

All materials in contact with food in this meat grinder are made of high quality stainless steel, and the product design fully complies with European safety standards. Due to its appearance and compact structure, it is very suitable for use in hotels, meat processing factories, schools, restaurants, or any other food service industry.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJF-132A	220/380V	1.5kw	120-300kg/h	395*700*825mm	≈ 15kg



绞切一体机

Meat grinding and cutting integrated machine

型号 Model	XJ1-JQ5000
电压 Voltage	220V
额定功率 Rated power	2.2kw
电机功率 Motor cutting power	1.5kw
每小时产量 Output of minced meat	≈ 180kg/h
每小时产量 Cut meat output	≈ 450kg/h
产品尺寸 Product size	650*410*820mm
产品重量 Product weight	≈ 87kg



绞切一体机

Meat grinding and cutting integrated machine

型号 Model	XJ1-JQ5000
电压 Voltage	220/380V
功率 Power	0.75/1.1kw
产量 Yield	≈ 500kg/h
产品尺寸 Product size	515*480*850mm
产品重量 Product weight	≈ 180kg

整机采用不锈钢制造，立式刀面方便清洗。可绞肉、切肉片肉丝等。

The whole machine is made of stainless steel and is easy to clean. It can grind meat, cut meat slices and strands.

采鱼肉机 Fish meat picker



Model	Voltage	Power	Yield	Product size	Product weight
XJT-180A	220/380V	1.5kw	≈ 150kg/h	850*800*850mm	≈ 180kg
XJT-300A	220/380V	2.2kw	≈ 300kg/h	950*850*1000mm	≈ 250kg



采鱼肉机 Fish meat picker



采鱼肉机用于各种淡水、海水鱼类、虾类去皮骨，取净肉
的专用机械。适合广大海鲜加工企业、食品厂、鱼丸
制作、海味等单位使用。

The fish meat picker is a specialized machinery used for skinning and
removing bones from various freshwater and seawater fish and shrimp.
Suitable for professional fish and shrimp product factories, food factories,
fish ball production, fishing boats and other units.

Model	Voltage	Power	Yield	Product size	Product weight
XJT-0300A	380V	3kw	≈ 500kg/h	980*800*1150mm	≈ 330kg
XJT-380A	380V	4kw	≈ 1000kg/h	1200*900*1100mm	≈ 350kg
XJT-500A	380V	7.5kw	3000-2800kg/h	1500*1100*1200mm	≈ 850kg

鱼浆精滤机

With coarse filter filter



用于配合鱼肉采肉机，鱼肉过筛去渣，主要将鱼浆中的鱼骨屑、鱼鳞、鱼胆、鱼皮等杂质筛出来，使鱼浆的白度纯、杂质量少，鱼浆更细腻。

It is used for supporting fish meat pickup, filtering fish impurity fine, mainly removing fish bone shank, scales, intestines, skin and other impurities from fish paste, so as to make fish paste pure in whiteness, fine separation and more delicate.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
KJF-JL200	220/380V	2.2kw	100-150kg/h	2050*600*800mm	≈ 50kg
XJF-JL1500	380V	11kw	1000-1500kg/h	1500*720*1000mm	≈ 350kg



三速制冷打浆机

Three-speed refrigeration beating machine



采用智能操作系统，有高中低三种打浆速度三种刀可切换，满足不同肉类的打浆需求。是一款多能打浆设备，打浆机配有温控感温调节、流水式刮料自动出料等优点。

Adopting an intelligent control system, there are three types of beating speeds and three types of knives to choose from, meeting the beating needs of different meats. It is a versatile beating equipment with a cold pressing mechanism, temperature sensing adjustment, and automatic discharge of beating paste.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
KJT-DJ285S	380V	5.5kw+2p	≈ 10kg/次 (One)	550*500*500mm	≈ 100kg
KJT-DJ405S	380V	11kw+3p	20-30kg/次 (One)	1270*620*1540mm	≈ 400kg
XJT-DJ505S	380V	18.5kw+4p	30-50kg/次 (One)	1400*750*1700mm	≈ 500kg

■ 液压式工业打浆机

Hydraulic industrial blender



变频调速液压打浆机以肉丸、火腿等多种肉制品的主要打浆设备。

Variable frequency speed regulating hydraulic blender is the main blender for meat products such as meatballs and sausages.



型号 Model	电压 Voltage	功率 Power	产量 Yield	机器尺寸 Overall size	产品重量 Product weight
XJ1YY450	380V	45kw	≈400L (600kg/次)	960*670mm	≈320kg



■ 变频调速工业打浆机

Frequency conversion speed regulation industrial blender



设备特点：变频调速根据工艺选择不同的速度，有料料斗方便中途加物料，容量容量大。

Equipment features: Variable frequency speed regulation is selected according to the process. There is a feeding hopper for convenient feeding of materials in the middle, and the capacity of the measuring barrel is large.

型号 Model	电压 Voltage	功率 Power	产量 Yield	机器尺寸 Overall size	产品尺寸 Product size	产品重量 Product weight
XJ1DJ100	380V	7.5kw	100-150kg/h	550*550mm	1700*150*150mm	≈600kg
XJ1DJ200	380V	11.5kw	100-150kg/h	700*650mm	1800*160*150mm	≈800kg

小型快速肉浆机

Small fast meat grinder



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-12B	380V	4kw	10kg	800*450*850mm	≈110kg



单轴拌馅机

Single shaft filling mixer



拌馅机是用于肉料的必需设备，物料搅拌均匀，充分细腻，无汽泡，弹性好，色泽鲜艳并最大限度减少了蛋白质，脂肪损失，是改善产品品质的一种理想设备。

The filling mixer is a necessary equipment for mixing materials. The materials are evenly stirred, fully expanded, bubble-free, elastic, bright in color, and reduced protein and fat loss. It is an ideal device to improve product quality.

型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-1000A	220V	0.75kw	50L	720*510*1050mm	≈135kg
XJT-1010A	220V	1.1kw	70L	820*510*1050mm	≈135kg
XJT-1020A	220V	1.5kw	90L	880*510*1050mm	≈140kg
XJT-10310A	380V	1.5kw	130L	1010*580*1130mm	≈225kg
XJT-10350A	380V	1.5kw	150L	1050*580*1130mm	≈250kg
XJT-10380A	380V	1.5kw	180L	1300*700*1200mm	≈265kg

新拌机 Chopper



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-2105	220V	0.37kw	5L	500*430*520mm	≈ 25kg



新拌机 Chopper



新拌机是肉制品生产过程中的关键设备。高速旋转的拌料刀可将原料肉拌碎成细颗粒形状。同时可以将其它辅助料搅拌均匀。

The chopper is the key equipment to the meat product production process. The high speed rotating chopper can chop and mix the raw meat into fine pieces, and at the same time, it can mix other auxiliary materials evenly.

型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-2120	380V	4.1kw	20L	700*600*850mm	≈ 140kg
XJT-2340	380V	5.1kw	40L	1100*830*1080mm	≈ 255kg

新拌机

Chapter



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-7000	380V	13.00kw	60L	1700*1350*1350mm	≈ 700kg
XJT-70125	380V	13.00kw	125L	2050*1450*1300mm	≈ 1100kg

双轴拌馅机

Double shaft filling mixer



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-100150	380V	1.50kw	150L	1140*700*1130mm	≈ 230kg
XJT-100200	380V	2.30kw	200L	1320*700*1130mm	≈ 300kg
XJT-100300	380V	3.50kw	300L	1380*750*1290mm	≈ 530kg



拌馅机提升机

Mixing machine elevator

电压 Voltage	380V
功率 Power	1.5kw
提升高度 Lifting height	1700~1050mm
提升速度 Lifting speed	2000mm
材质 Material of contact	304 # (3mm)



真空搅拌拌馅机

Vacuum mixer



真空搅拌机是用于调制的必备设备。在真空状态下材料搅拌均匀，充分膨胀，无气泡，弹性好。它并解是并最大程度的发挥了蛋白质的原料效率高，是改善产品品质的一种新设备。

The vac control mixer is a necessary equipment for mixing materials. Under vacuum, the materials are evenly mixed and the mixing efficiency is high.

型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-JS150	380V	3.15kw	150L ~ 100kg	1150*950*1350mm	≈ 300kg
XJT-JS200	380V	3.75kw	200L ~ 140kg	1200*900*1380mm	≈ 350kg
XJT-JS350	380V	5.15kw	350L ~ 210kg	1340*900*1510mm	≈ 400kg
XJT-JS750	380V	9.25kw	750L ~ 550kg	1900*1065*1875mm	≈ 650kg
XJT-JS1200	380V	14.7kw	1200L ~ 840kg	2130*1410*2130mm	≈ 150kg

灌肠打卡一体机

Integrate punch & all-in-one machine



全自动灌肠打卡一体机，可一次性灌肠、打卡。可夹收香肠、红香肠、双点肠、PVC 肠等肠点均可。

Fully automatic integrate punch & all-in-one machine, capable of one-time sausage and chuck-in. When chuck-in, system then, clampable like PVC film and other individual coatings can be used.



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产能 Yield	肠衣口径 Intestine diameter	产品尺寸 Product size
XJT-GC55L	220V	0.5kw	55L	100-500kg/h		640*540*1430mm
XJT-SZDK40	220V	0.5kw		30-40pcs/min	30-30mm	630*530*1500mm

手动

Hand manual

XJT-3L
XJT-5L
XJT-7L
XJT-8L
XJT-10L
XJT-12L
XJT-15L



电动

Electric

XJT-D10L
XJT-D12L
XJT-D15L
XJT-D18L
XJT-D20L
XJT-D25L



灌肠机

Sausage filler



电动只需脚踏脚踏即可灌肠。适用于灌肠、火腿肠、火腿肠、火腿肠加工。

Electric, sausage can be achieved by simply stepping on the pedal. Suitable for processing sausage, ham sausage, sausage, etc. for restaurants, households, etc.

型号 Model	电压 Voltage	功率 Power	轴径尺寸 Nozzle size	产品尺寸 Product size	产品重量 Product weight
XJT-D10L	220V	25w	Φ220*280mm	420*330*650mm	≈ 27kg
XJT-D12L	220V	25w	Φ220*325mm	430*330*720mm	≈ 29kg
XJT-D15L	220V	25w	Φ220*410mm	420*330*780mm	≈ 29kg
XJT-D18L	220V	60w	Φ220*425mm	433*335*820mm	≈ 31kg
XJT-D20L	220V	120w	Φ225*410mm	430*330*810mm	≈ 43kg
XJT-D25L	220V	120w	Φ225*500mm	430*330*910mm	≈ 45kg

气动定量扭结灌肠机

Pneumatic quantitative kinking sausage machine



气动定量扭结灌肠机，采用先进技术运用气泵、光电控制原理，可连续自动定量灌装扭结。适合灌装各种火腿类产品，适合天然肠衣、粉肠、胶原蛋白。

Pneumatic quantitative kinking sausage machine, using advanced technology and pneumatic and photoelectric control principle, can continuously and automatically kinking, suitable for filling all kinds of ham products, natural casings, collagen, smoked casings.



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-BJ50L	380V	1.5kw	50L	≈ 60 个/min	600*400*1240mm	≈ 120kg

液压灌肠机

Hydraulic sausage machine



脚踏开关，脚踏启动控制，操作安全。
用于香肠、腊肠、火腿肠等。

Applicable to the processing of sausage, sausage and sausage, the casing and filling.

XJT-YY150
XJT-YY260
XJT-YY350



XJT-YY500



型号 Model	电压 Voltage	功率 Power	容量 Sausage capacity	产品尺寸 Product size	产品重量 Product weight
XJT-YY150	110/220/380V	0.55kw	15L	600*400*1240mm	≈ 120kg
XJT-YY260	110/220/380V	1.5kw	26L	640*485*1240mm	≈ 160kg
XJT-YY350	110/220/380V	1.5kw	35L	735*560*1240mm	≈ 180kg
XJT-YY500	220/380V	1.5kw	50L	1200*600*1500mm	≈ 250kg

全自动香肠扎线机

Fully automatic sausage larding machine



电动脚踏自动香肠扎线机。采用食品级 SUS304 不锈钢制造，体积小，效率高，易操作。控制系统采用触摸屏和伺服控制系统组成，具有手动和自动连续两种生产模式。在自动连续模式下生产效率更高。

The electric foot-operated automatic sausage larding machine is made of food grade SUS304 stainless steel, with small size, high efficiency and easy operation. The control system is composed of touch screen and servo control system, which has two production modes, manual and automatic continuous. The production efficiency is higher in automatic continuous mode.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-Z02	220/380V	0.25kw	10-120只/min	1100*550*1200mm	≈400kg

扎口机

tying machine

本机用于火腿肠打扣、香肠捆扎口、小碗宽扎口

This machine is used for ham sausage tying, sausage bag tying, small bowl wide bag tying



XJT-SD7K



XJT-DK50



型号 Model	电压 Voltage	功率 Power	产品型号 Sample model	产品尺寸 Product size	产品重量 Product weight
XJT-SD7K	—	—	U502/U503/U506/U508	400*180*610mm	≈10kg
XJT-DK50	220V	0.3kw	U602/U503/U506/U508	350*550*640mm	≈25kg

锯骨机

Bone cutting machine



锯骨机是专业针对骨头、排骨、冷冻肉类、肉类、大型肉类的切割。产品使用原装进口锯片，安全系数好，可直接切割中冷冻肉类，锯片带有润滑保持，电机带有过热保护，真正做到安全、卫生方便。

The bone-cutting machine is specialized in cutting bones, pork ribs, frozen meat, fish, and large meat. The product uses original imported saw blades with good safety factor, which can be directly disassembled for washing without disassembly. The saw blade is equipped with rust-preventing retention, and the motor is equipped with overheating retention, truly achieving safety, hygiene and convenience.



型号 Model	电压 Voltage	功率 Power	工作台尺寸 Table size	产品尺寸 Product size	产品重量 Product weight
XJT-JG210	110/220V	0.9kw	565*415mm	520*500*900mm	≈ 47kg
XJT-JG310	110/220V	1.1kw	530*430mm	600*625*1170mm	≈ 85kg



XJT-JG210A



XJT-JG250A

锯骨机

Bone cutting machine



型号 Model	电压 Voltage	功率 Power	工作台尺寸 Table size	产品尺寸 Product size	产品重量 Product weight
XJT-JG210A	110/220V	1.1kw	600*415mm	620*565*945mm	≈ 52kg
XJT-JG250A	220V	1.1kw	550*440mm	510*490*930mm	≈ 58kg

锯骨机

Bone-sawing machine



该机型工作在工作便利，整机食品级不锈钢专业针对骨头、猪肉、冷冻肉类、鱼类、大型肉类的切割。产品使用特殊进口锯条，安全系数好，可直接切割冲及无死角，锯带带有减震保护，电机带有过热保护，真正做到安全、卫生方便。The activity workbench is convenient for work, and the whole machine is made of food grade stainless steel, which is specialized in cutting bones, pork ribs, frozen meat, fish, and large meat. The product uses imported saw blades with good safety factor, which can be directly disassembled for working without dead corners. The saw band is equipped with over tightening protection, and the motor is equipped with overheating protection, truly achieving safety, hygiene and convenience.



型号 Model	电压 Voltage	功率 Power	工作台尺寸 Table size	产品尺寸 Product size	产品重量 Product weight
XJT-JC330AH	110/220/380V	1.5kw	690*545mm	780*250*1500mm	≈ 80kg
XJT-JC350AH	110/220/380V	1.5kw	780*640mm	850*670*1680mm	≈ 90kg



锯骨机

Bone-sawing machine



型号 Model	电压 Voltage	功率 Power	工作台尺寸 Table size	产品尺寸 Product size	产品重量 Product weight
XJT-JC360AH	110/220/380V	1.5kw	800*570mm	820*270*1700mm	≈ 130kg
XJT-JC380AH	110/220/380V	2.2kw	880*600mm	900*360*1935mm	≈ 170kg

切排骨机 Chipping machine



用于冷冻排骨、冻五花肉、冻半片鸭半片鸡、冻鱼等切块、切丁产品一次成型。

It is used for one-time molding of frozen pork chops, frozen pork, frozen duck, frozen chicken, frozen fish and other cut products.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QC500	380V	3kw	500-800kg/h	1150*600*1500mm	≈ 120kg

全自动切片机/砍排机 Full automatic slicer/chopping machine



设备用于将冷冻的肉类、鱼、奶制品、火腿、香肠等原料切成用户所需要的肉片、把块状的肉片亦可再带骨条冻肉切成块状或者段状。产品厚度可自行调节。

The equipment is used to cut frozen meat, fish, cheese, bacon, sausage and other raw materials into blocks or segments.

型号 Model	电压 Voltage	功率 Power	产量 Yield	切片尺寸 Slicer size	产品尺寸 Product size	产品重量 Product weight
XJT-K210	380V	3kw	≈ 210pcs/min	210*230mm	1880*800*1200mm	≈ 420kg
XJT-K2500	380V	4.0kw	≈ 210pcs/min	250*230mm	2180*950*1340mm	≈ 520kg

国 不锈钢装料车

stainless steel loading truck



容量 Capacity	200L
桶身长-桶身宽-桶身直径	650*620*500mm
桶尺寸 inner size	830*620*500mm

欢迎非标定制 Welcome non-standard customization.



国 碎骨机

Bone Crusher



碎骨机特别适用于牛骨、猪骨、羊骨、驴骨、等各种动物大骨和鱼骨类的破碎，破碎范围 5-100mm。（常规出厂 32mm）

The bone crusher is particularly suitable for crushing various animal bones and fish bones, such as ox bone, pig bones, sheep bones, donkey bones, etc., with a crushing range of 5-100mm. (Conventional factory 32mm)

型号 Model	电压 Voltage	功率 Power	产量 Q.M	进料口直径 Feed inlet diameter	产品尺寸 Product size	产品重量 Product weight
XJF-P5200A	220/380V	3kw	20-60kg/h	Φ160*160mm	620*480*850mm	≈ 160kg
XJF-P5300A	380V	5.5kw	80-200kg/h	Φ310*230mm	1060*740*1160mm	≈ 330kg
XJF-P5400A	380V	7.5kw	150-400kg/h	Φ410*235mm	1080*840*1160mm	≈ 380kg
XJF-P5500A	380V	11kw	200-600kg/h	Φ520*250mm	1450*980*1380mm	≈ 750kg
XJF-P5600A	380V	15kw	300-900kg/h	Φ600*300mm	1600*1100*1480mm	≈ 1250kg
XJF-P5800A	380V	22kw	800-2200kg/h	Φ800*620mm	1700*1320*1500mm	≈ 2500kg
XJF-P51000A	380V	45kw	1000-4000kg/h	Φ1000*800mm	1850*1500*1550mm	≈ 4000kg

手动盐水注射机

Manual saline injector machine



型号 Model	电压 Voltage	功率 Power	注射次数 Number of injection	产品尺寸 Product size	产品重量 Product weight
XJT-SZ54	220V	0.15kw	4/11# (needle)	1150*750*750mm	≈ 45kg



盐水注射机

Saline injection machine



盐水注射机适用于生产火腿肉、猪肉、牛肉、鸡、鸭等主要产品。在肉中注射混合盐水的一种专用设备。各种肉经过盐水混合液注射均匀渗透，使肉嫩滑，并增加出品率。

Saline injection machine is applicable to the production of ham, pork meat, beef, chicken, duck and other meat equipment.

型号 Model	电压 Voltage	功率 Power	产品 Weight	注射速度 Number of injection	产品尺寸 Product size
XJT-2548	380V	4.1kw	≈ 300kg	40-70ml/min	1750*150*1650mm
XJT-7580	380V	5.1kw	≈ 700kg	40-70ml/min	1550*800*1650mm
XJT-25120	380V	6.7kw	≈ 900kg	40-70ml/min	1850*1250*1800mm

滚揉机上料机

Rolling and braising machine feeding machine

电压 Voltage	380V
功率 Power	1.5kw
滚揉范围 Rolling length	2400-2500mm
产品尺寸 Product size	1300*1400*1800mm

适用于配装大型滚揉机使用
Suitable for supporting large rolling machine



真空滚揉机

Vacuum braising machine



真空滚揉机采用圆柱内胆板自转并随轴进行滚揉，当整体转动时肉块按分散分布并挤压，肉块相互碰撞、相互挤压，使肉体内蛋白质分解成水性蛋白，易被人体吸收。同时使调味料（淀粉等）与肉内蛋白质互为融合，以达到肉质变嫩、口味好、成品出率高的目的。

The vacuum rolling machine adopts the principle of self-rotation of the inner plate of the cylinder and rolling along the axis. When the cylinder rotates, the meat pieces are scattered and pressed, and the meat pieces collide and press each other, making the protein in the meat decomposed into water-soluble protein, which is easy to be absorbed by the human body. At the same time, it can make the seasoning (starch, etc.) fuse with the protein in the meat, achieving the purpose of tender meat, good taste, and high yield of finished products.

型号 Model	电压 Voltage	功率 Power	滚揉容积 Rolling volume	滚揉量 Loading capacity	产品尺寸 Product size	产品重量 Product weight
XJT-GR100	380V	1.5kW	100L	≈ 35kg/次	660*550*930mm	≈ 100kg
XJT-GR200	380V	1.5kW	200L	≈ 75kg/次	1000*620*1300mm	≈ 130kg
XJT-GR300	380V	2.25kW	400L	≈ 150kg/次	1200*810*1290mm	≈ 280kg
XJT-GR500	380V	2.25kW	600L	≈ 225kg/次	1280*910*1340mm	≈ 320kg
XJT-GR1000	380V	2.25kW	1000L	≈ 375kg/次	1560*1020*1460mm	≈ 420kg
XJT-GR1200	380V	2.25kW	1200L	≈ 450kg/次	1700*1080*1560mm	≈ 510kg
XJT-GR1600	380V	4.5kW	1600L	≈ 600kg/次	1820*1220*1770mm	≈ 600kg
XJT-GR2000	380V	4.5kW	2000L	≈ 750kg/次	2280*1220*1800mm	≈ 680kg

小型腌肉机

Small curing machine



小型真空腌制机，使肉类在真空负压条件下，定时加压翻滚，起到成本按摩作用，不会破坏表皮，利用机械式滚动原理，让腌制调料肉相互摩擦，加快调味料渗入肉品的速度，大大缩短了腌制时间。

Small vacuum curing can make the meat pieces at regular positive pressure and exposed at regular negative pressure, which can play a role of dynamic friction and will not damage the skin. With the principle of mechanical drum, the cured meat can rub against each other, speed up the permeation of seasonings into the meat, and greatly shorten the curing time.



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-YZ50K	220V	0.33kw	60L	880*490*350mm	≈ 37kg
XJT-YZ80K	220V	0.33kw	80L	965*540*400mm	≈ 50kg
XJT-YZ150K	220V	0.9kw	150L	1215*600*450mm	≈ 83kg



可倾式制冷真空滚揉机

Tilting refrigerated vacuum rolling machine

制冷式真空滚揉机是在传统滚揉机基础上改进而来，整体采用双门设计，低温水通过双通轴进入夹层中，通过循环使滚揉肉内保持设定恒定温度，是低温火腿生成和屠宰后肉产品的主要加工设备。

Refrigerated vacuum rolling machine is an improvement on traditional rolling machines. The cylinder adopts a double-layer design. Low temperature water enters the interlayer through a double-pass shaft at the top end, and the temperature inside the cylinder is kept constant by circulation. It is the main processing equipment for low temperature ham generation and post-slaughter meat products.

型号 Model	电压 Voltage	电动机功率 Motor power	真空功率 Vacuum power	容量 Capacity	产量 Yield
XJT-GRL1000	380V	2.2kw	3kw	1000L	500kg/次
XJT-GRL1500	380V	3kw	3kw	1500L	750kg/次
XJT-GRL2000	380V	3kw	3kw	2000L	1t/次
XJT-GRL2500	380V	3kw	3kw	2500L	1.2t/次
XJT-GRL3000	380V	3kw	3kw	3000L	1.5t/次

内置烟熏炉

Built-in smoking stove



烟熏炉可熏制各种香肠、火腿肠、干肠、腊肠、腊肉及各种肉等。操作简便，方便可靠。

The smoking stove can smoke various sausages, ham sausages, dried sausages, sausages, grilled meat, and various fish. Easy to operate, convenient and reliable.



型号 Model	电压 Voltage	功率 Power	工作空间 Working space	产品尺寸 Product size	产品重量 Product weight
XJT-YXN30	220/380V	14.5kw	810*780*920mm	1050*1300*1650mm	≈ 160kg
XJT-YXN50	220/380V	14.5kw	910*840*1080mm	1150*1440*1640mm	≈ 250kg
XJT-YXN100	380V	21kw	1050*1200*1200mm	1300*1570*2100mm	≈ 550kg



台式真空包装机

Desktop vacuum packaging machine



产品机身采用 201 不锈钢，工作室内用 304 不锈钢，电脑操作。

The product body is made of 201 stainless steel, the studio is made of 304 stainless steel, and the computer version is operated.

型号 Model	电压 Voltage	功率 Power	工作室尺寸 Chamber Size	产品尺寸 Product size	产品重量 Product weight
XJT-ZK2001	220V	0.3kw	380*280*50mm	500*330*380mm	≈ 31kg
XJT-ZK3001	220V	0.3kw	380*320*50mm	500*370*380mm	≈ 32kg
XJT-ZK4001	220V	0.5kw	440*420*65mm	540*430*450mm	≈ 56kg

立式单式真空包装机 Vertical single vacuum packaging machine



真空包装机，只需按下真空罩即可按设定的程序完成抽真空或抽真空后充入惰性气体，封口、印字、冷却、排气的过程。

Vacuum packaging machine, simply press the vacuum cover to complete the entire process of vacuuming or filling inert gas after vacuuming according to the set program, sealing, printing, cooling, and exhaust.



型号 Model	电压 Voltage	功率 Power	真空腔尺寸 Chamber Size	产品尺寸 Product Size	产品重量 Product Weight
XJT-ZK400L	220V	0.9kW	440*420*65mm	540*410*360mm	≈ 64kg
XJT-ZK500L	220V	0.9kW	650*600*65mm	730*510*360mm	≈ 77kg
XJT-ZK600L	220V	1.2kW	650*650*65mm	730*510*360mm	≈ 100kg



立式双室真空包装机 Vertical double chamber vacuum packaging machine



经抽真空包装后的物品防止氧化、霉变、虫蛀、受潮，延长产品储存期限。真空可以左右分类工作，大大提高了工作效率。产品机身采用201不锈钢，工作罩采用304不锈钢，电脑版操作。

After vacuum packaging, the items are protected from oxidation, mold, insect infestation, moisture, and extended product storage life. The dual chamber can rotate left and right, greatly improving work efficiency. The product body is made of 201 stainless steel, the ducts is made of 304 stainless steel, and the computer version is operated.

型号 Model	电压 Voltage	功率 Power	真空腔尺寸 Chamber Size	产品尺寸 Product Size	产品重量 Product Weight
XJT-ZK400/2LS	220V	0.9kW	500*450*50mm	1100*540*350mm	≈ 130kg
XJT-ZK500/2LS	380V	1.2kW	570*540*50mm	1350*610*1000mm	≈ 190kg
XJT-ZK600/2LS	380V	2.2kW	660*540*50mm	1450*610*1000mm	≈ 230kg

气泡臭氧清洗机

Bubble ozone cleaner

有效分离蔬菜上沾染的泥沙、虫卵。清洗时喷淋和高压喷淋供水，供水量可调，气泡大小可调，方便客户根据蔬菜处理量及清洗程度进行灵活调节。可根据客户要求定制。

Effectively separate the adhered sediment and impurities on vegetables. During the cleaning process, the spray and high pressure water provide continuous water supply, with adjustable water supply and bubble size, making it convenient for customers to flexibly adjust according to the vegetable processing volume and cleaning level. Non standard customization can be made according to customer requirements.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-XC300	220/380V	1.5kw	150-200pc/h	1000*150*100mm	≈ 80kg
XJT-XC600	220/380V	1.5kw	600-800kg/h	1500*200*100mm	≈ 150kg

气泡臭氧清洗机

Bubble ozone cleaner

本机采用高压气体产生气泡，可加入循环水泵冲淋和喷淋高压水进行三重清洗。

This machine uses high pressure gas to generate bubbles, which can be combined with a circulating water pump for triple cleaning by spraying and along high pressure water spray.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QX200	220/380V	1.7kw	500-1000kg/h	2200*160*1200mm	≈ 180kg
XJT-QX300	2.5kw	1.7kw	1000-1500kg/h	3200*160*1250mm	≈ 230kg

洗米机

Rice washing machine

型号 Model	产量 Yield	产品尺寸 Product size
XJT-XM35	35kg	300*400*800mm
XJT-XM50	50kg	550*450*850mm
XJT-XM75	75kg	600*500*900mm
XJT-XM100	100kg	650*520*950mm

洗米机适用于大米、小米、玉米、豆类等粮食清洗。
The rice washing machine is suitable for washing grain such as rice, wheat, corn and beans.



生姜土豆芋头清洗去皮机

Ginger potato taty cleaning and peeling machine



本机主要用于姜类植物的清洗、去皮、抛光。用于土豆、芋头、山药、山药类蔬菜物料。不锈钢材质。符合食品级卫生要求。四个旋转刷可以帮物料四个部分的泥土清洗干净。

This machine is mainly used for cleaning, peeling and polishing of stem materials, such as potatoes, carrots, sugar beets, yams and other materials. Stainless steel material, meeting the highest requirements of food processing. The rotating brush roller can clean the soil in the corners corner part of the material.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-MC200G	220/380V	0.75kw	500-800kg/h	1184*760*520mm	≈ 140kg
XJT-M51300G	380V	1.1kw	800-1200kg/h	1184*760*520mm	≈ 180kg
XJT-MC1800G	380V	1.5kw	2000-3000kg/h	1980*760*520mm	≈ 240kg

国 叶菜类果蔬加工生产线

leaf vegetable fruit and vegetable processing production line



工作台
Workbench

提升输送机
Lifting conveyor

提升输送机
Lifting conveyor

气泡清洗机
Bubble cleaning machine

振动脱水机
Vibrating drainage machine

工作台进行初选筛选，然后进入切菜机。切菜机可切叶菜或条状蔬菜，切好后再经输送机，将物料提升进入气泡清洗机。气泡清洗机采用高压气体产生气泡，有效清洗附着在物料表面的泥沙与农残。最后振动脱水机利用震动去除物料表面残留的水分，从而可以到达平整均匀的效果。

The workbench performs primary picking and then puts it into a vegetable cutter. The vegetable cutter can cut leafy vegetables or strip-shaped fruits and vegetables. After cutting, the material is lifted into a bubble cleaning machine by a conveyor. The bubble cleaning machine uses high-pressure gas to generate bubbles, effectively cleaning and separating the adhered sediment and residues on the material. Finally, the vibrating drainage machine uses a vibrating screen to remove residual water on the surface of the material, thereby achieving a uniform and even spreading effect.

国 根茎类果蔬加工生产线

rootstock fruit and vegetable processing production line



气泡清洗机
Bubble cleaning and peeling machine

提升输送机
Lifting conveyor

提升输送机
Lifting conveyor

提升输送机
Lifting conveyor

气泡清洗机
Bubble cleaning machine

振动脱水机
Vibrating drainage machine

先用毛刷清洗去皮机清洗去皮，利用物料与毛刷之间的摩擦，从而达到清洗去皮的效果。清洗好后经提升输送机送到螺旋输送机切菜机进行切菜，通过刀盘更换，可将蔬菜切成片状丁状。切菜后再由提升输送机将物料倒入网带式清洗机中，利用高压气体产生气泡将物料清洗干净，有效清洗附着在物料表面的泥沙与农残。最后振动脱水机利用震动去除物料表面残留的水分，从而可以到达平整均匀的效果。

First, use a hair stick to clean the peeling machine, and use the friction between the material and the brush to achieve the effect of cleaning or peeling. After cleaning, it is transported by a lifting conveyor to the fruit and vegetable cutting machine for cutting. By replacing the cutterhead, fruits and vegetables can be cut into small pieces. After cutting, the material is passed into the mesh belt cleaning machine by the lifting conveyor. High-pressure gas is used to generate bubbles in situ and clean the material, effectively cleaning and separating the adhered sediment and residues on the surface. Finally, the vibrating drainage machine uses a vibrating screen to remove residual water on the surface of the material, thereby achieving a uniform and even spreading effect.

果蔬脱水机

Fruit and vegetable dehydration



本机除电机、电控等相关部件外，机体均采用 SUS304 不锈钢材质。将物料均匀的装入筛筐内铺平，放至筛筐内，合上上盖。机器自动开机工作，依靠运转的离心力使筐内物料的水分甩出筐外，由排水口排除。

Except for the motor, electrical components, and other related components, the body of this machine is made of SUS304 stainless steel material. Evenly load the materials into the sieve basket and spread them flat. Put them into the basket, close the top cover, and the machine will automatically start working. The centrifugal force of the rotating basket will cause the moisture of the materials in the basket to be thrown out of the basket and discharged by the drainage outlet.



型号 Model	电压 Voltage	功率 Power	产品尺寸 Product size	产品重量 Product weight
XJT-15420	220V/380V	1.5kw	1000*600*1010mm	≈ 150kg

离心脱水机

Centrifugal dehydrating machine



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-PS1000A	380V	3kw	42L	1100*900*1050mm	≈ 1000kg
XJT-PS1800A	380V	5.5kw	100L	1800*1200*1100mm	≈ 1500kg
XJT-PS1000A	380V	7.5kw	140L	2000*1500*1400mm	≈ 2000kg


震动筛沥水机

Vibration screen drainage machine

型号 Model	XJT-Z300
电压 Voltage	380V
功率 Power	0.5kw
产品尺寸 Product size	2000*800*800mm

用来配合气流清洗机和连续式生产使用。把清洗后的蔬菜表面残留的水份利用震动筛动去除,从而可以取得平整均匀的效果。

Used to match the continuous production of the bubble cleaning machine, the residual water on the surface of the cleaned vegetable can be removed by vibrating screens, thus achieving a smooth and even distribution effect.



果蔬脱水机

Fruit and vegetable dehydrator

适用于蔬菜脱水之用,该机具有外用简单和操作简单,容量大,效率高,耗损小,可连续脱水。料物、箱体采用优质不锈钢材料,不锈性、清洁卫生。

It is suitable for vegetable dehydration. The machine has beautiful appearance, convenient operation, large volume, high efficiency, low energy consumption and continuous drying. The barrel and box are made of high-quality stainless steel, which is not rusty, clean and sanitary.

XJT-TS200
XJT-TS350
XJT-TS700



XJT-TS20



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-TS20	110/220V	0.75kw	20L	460*400*150mm	≈ 15kg
XJT-TS200	220V	0.25kw	200	900*600*800mm	≈ 30kg
XJT-TS350	220V	0.33kw	350	670*590*835mm	≈ 57kg
XJT-TS700	220V	0.55kw	700	1130*645*1050mm	≈ 65kg

大蒜分瓣机

Garlic separator

型号 Model	XJ1-FH1000
电压 Voltage	220/380V
功率 Power	21W
产量 Yield	800-1000kg/h
产品尺寸 Product size	550*150*1350mm
产品重量 Product weight	≈ 80kg



XJ1-0525A



大蒜脱皮机

Garlic peeling machine

采用不锈钢结实耐用，采用可调方式，操作简单。蒜球大小均可使用，自蒜瓣不易损伤，内置风机将剥皮后多余的蒜皮吸走，大大方便了蒜皮的脱皮处理。

The stainless steel plate is strong and durable, and the adjustable mode is adopted. The operation is simple. The size of garlic balls can be used, and the garlic does not easy to be damaged. The built-in fan will blow the peeled garlic peel away, greatly facilitating the subsequent peeling treatment.

XJ1-TP150
XJ1-TP300



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJ1-TP150	220V	0.5kw	100-150kg/h	600*500*1200mm	≈ 70kg
XJ1-TP300	220V	0.5kw	200-300kg/h	550*1000*1550mm	≈ 130kg
XJ1-DS25A	220V	0.2kw	25kg/h	250*250*480mm	≈ 8.5kg

链式洋葱脱皮机

Chain onion peeling machine



适用于洋葱脱皮，整机采用 304 不锈钢。利用空压机产生的强大气流，形成气流将洋葱的外层脱掉，洋葱表皮光滑。
It is suitable for peeling onions. The whole machine is made of 304 stainless steel. The strong air flow generated by the air compressor is used to blow the air flow to remove the outer skin of onions, and the onion skin is smooth.



型号 Model	电压 Voltage	功率 Power	产能 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-YCTP500	380V	3kw	500-800kg/h	2570*850*1120mm	≈ 344kg
XJT-YCTP1000	380V	3kw	800-1000kg/h	2680*1000*1530mm	-



脱皮机

Peeling machine



土豆脱皮机可脱土豆、芋仔、红薯、马蹄等。土豆脱皮机机身采用食品级不锈钢制作，国产品牌电机，沙轮为早期使用使用寿命长。排渣口向下倾斜设计工作时不撒残渣。

The potato peeler can peel potatoes, Yum seeds, sweet potatoes, taro, etc. The body of the potato peeling machine is made of food grade stainless steel, with a national standard copper wire motor, a simple and easy to replace sand wheel, and a long service life. The slag discharge port is designed to be downward, leaving no residue during operation.

型号 Model	电压 Voltage	功率 Power	产能 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-TP10A	220V	0.55kw	10kg/次 (once)	510*510*900mm	≈ 53kg
XJT-TP15A	220V	0.75kw	15kg/次 (once)	580*580*950mm	≈ 62kg
XJT-TP30A	220/380V	1.5kw	30kg/次 (once)	660*640*1110mm	≈ 89kg

仿人工土豆削皮机 Artificial potato peeler



仿人工削皮，削皮后的物料表面平整光滑，去皮率可达98%左右，解决了毛刷机去不掉皮及其暗伤问题。
Simulated artificial peeling, the surface of the peeled material is smooth and smooth, and the peeling rate can reach about 98%, which solves the problem that the brush machine can not peel and its dark wounds.



型号 Model	电压 Voltage	功率 Power	产能 Capacity	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-TD600	380V	1.5kw	10kg	400-600kg/h	1240*835*1350mm	≈ 160kg

XJT-XX10A
XJT-XX15A



XJT-XX15H

脱皮机 Peeling machine



型号 Model	电压 Voltage	功率 Power	产能 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-XX10A	220V	0.55kw	10kg/次 (once)	550*450*750mm	≈ 50kg
XJT-XX15A	220V	0.75kw	15kg/次 (once)	600*450*800mm	≈ 60kg
XJT-XX15H	220V	0.75kw	15kg/次 (once)	620*510*810mm	≈ 45kg

小型削皮机

Small peeling machine



型号 Model	XJ1-300*1
电压 Voltage	220V
功率 Power	0.5kw
产量 Yield	150-200pcs/h
产品尺寸 Product size	420*590*1030mm
产品重量 Product weight	≈ 60kg



瓜果削皮机

Melon and fruit peeler



双头瓜果削皮机适用于西瓜、南瓜、哈密瓜、冬瓜、柚子等大中型瓜类削皮，两边削皮刀可同时运行，削皮效率可观，去皮率可达到95%以上。

Double-headed melon and fruit peeling machine is suitable for peeling large and medium-sized melons such as papaya, pumpkin, honeydew melon, winter melon, grapefruit, etc. The peeling knives on both sides can operate simultaneously, the peeling efficiency can be adjusted, and the peeling rate can reach more than 95%.


型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJ1XP500	380V	0.75kw	120pcs/h	750*500*1800mm	≈ 95kg
XJ1XP650	380V	1.5kw	230pcs/h	1300*750*1800mm	≈ 190kg

萝卜削皮机 Carrot peeler



用于红萝卜去皮，人工送料，自动出料，削皮速度快，削皮效果好。仿人工削皮，削皮后的物料表面平整光滑，去皮率可达98%左右，360°万向移动脚轮，方便设备移动，304不锈钢材质制造，结实耐用。

Used for peeling carrots, manual feeding, automatic discharge, fast peeling speed, and good peeling effect. Simulated manual peeling, the surface of the peeled material is flat and smooth, with a peeling rate of about 98%. The 360° universal moving rollers are convenient for equipment movement, made of 304 stainless steel material, sturdy and corrosion-resistant.



型号 Model	电压 Voltage	功率 Power	产能 Yield	产品尺寸 Product size	产品重量 Product weight
XJ1-30*30	220V	0.75kw	30-40pcs/min	2445*580*1000mm	≈ 215 kg



萝卜削皮机 Carrot peeler



用于表皮无泥沙的白萝卜削皮。操作简便快捷，削皮快产率高，大幅地降低人工成本。萝卜的削皮率可达到百分之九十五左右。

Used for peeling white radishes after removing sediment from the surface. The operation is simple and convenient, with fast speed and high yield, greatly reducing labor costs. The peeling rate of radishes can reach about 95%.

型号 Model	电压 Voltage	功率 Power	产能 Yield	产品尺寸 Product size	产品重量 Product weight
XJ1-30*40	220V	0.7kw	40-60pcs/min	1980*512*1062mm	≈ 104 kg



多功能切菜机

Multifunctional vegetable cutter

型号 Model	XJT-QM100
电压 Voltage	220/380V
功率 Power	1.5kw
产量 Yield	600-1000kg/h
产品尺寸 Product size	1250*600*1300mm
产品重量 Product weight	≈ 150kg



切菜机

Vegetable Cutter



将大白菜、高脚菜、绿菜花片菜、葱、大蒜、韭菜等物料切成片、丝状。适应食品加工厂配备自动化生产线。切片速度快，对物料无损伤，保持物料水份，无渣刀。

Cut Chinese cabbage, Napa cabbage, sprout, celery, scallions, garlic, radishes, and other materials into slices and shreds, which is suitable for food processing to cooperate with automatic production line.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QC80	220/380V	0.75kw	500-600kg/h	750*500*1300mm	≈ 60kg
XJT-QC100	220/380V	1.1kw	1000-2000kg/h	1000*700*1500mm	≈ 110kg

切菜机 Vegetable cutter



操作简单，整机不锈钢制作可切多种蔬菜，双频触控变频，长短可调，切段约需2-30mm切段、切片、切丝、切碎。切刀锋利切蔬菜不易出水，送料口有自动安全保障。

Simple operation, stainless steel production of the whole machine can cut a variety of vegetables, dual frequency modulation, adjustable length, cutting range 2-30mm slicing, slicing, shredding, shredding, cutting knife sharp cut vegetables are not easy to water, and the discharge port has automatic safety guarantee.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QC601	220V	0.75kw	100-200kg/h	540*440*630mm	≈ 33kg

多功能切菜机 Multi-function vegetable cutter



本多功能切菜机使用国际铜线电机，食品级不锈钢，进口刀具均按照手工切菜的原理加工设计而成，出厂时配备多套刀具，适用于土豆、根茎、中药材、干菜、鲜蔬菜切片、切丝、切丁、切粉等专业的加工。

Multi-purpose vegetable cutter is designed by using the national standard copper wire motor, food grade stainless steel, and imported cutting tools to simulate the principle of manual vegetable cutting. When leaving the factory, it is equipped with multiple sets of cutting tools, which are suitable for the professional processing of root vegetables, roots, Chinese medicinal materials, dried fruits, chilies, and other slices, shredding, dicing and dicing.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QC660	110/220V	0.75kw	100-600kg/h	900*400*740mm	≈ 180kg
XJT-QC1000	220/380V	1.5kw	100-1000kg/h	1300*570*1020mm	≈ 230kg

球根茎类切菜机

Vegetable cutter

型号 Model	XJT-DN105
电压 Voltage	220V
功率 Power	0.75kw
产品尺寸 Product Size	600*400*600mm
产品重量 Product weight	≈ 10kg

用于各种蔬菜、瓜果加工。各种不同功能的刀盘可互换使用，方便用户选择。可切丝、切条、切片、切丁。

It is used for processing various vegetable, radish and fruits. Knife discs with different functions can be interchanged for user's convenience, and can be cut into silk, strip, slice and dice.



切丁机

Cutting small block machine

适合于商用、加工型工厂流水线使用。将蔬菜类果蔬，蔬菜切成小正方形丁状。新款，根据客户要求可装不同刀盘可加工条条状。

It is suitable for commercial and processing factory assembly line to cut various fruits and vegetables, radish and fruits into small square dice and strips, and can be processed into strips according to customer requirements.

XJT-QD1000



XJT-QD100



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QD100	380V	1.5kw	800-1000kg/h	110*640*590mm	≈ 90kg
XJT-QD1000	380V	0.75kw	800-1000kg/h	200*580*1030mm	≈ 145kg

手动切薯条机 Manual chip cutter



型号 Model	XJF-5T03
出料尺寸 Cutting size	1, 3, 10mm
产品尺寸 Product size	300*200*250mm
产品重量 Product weight	≈ 4.6kg



XJT-Q5A
XJT-Q5B



切丝切条机 Wire and strip cutting machine

大型平行切菜机可将萝卜、土豆、红薯、芋头、笋、川子、茭笋、姜、莲藕等蔬菜类切丝、条状。

The large parallel fruit cutting machine can cut radish, potatoes, sweet potatoes, juncos, bamboo shoots, bamboo shoots, ginger, bulbous radish and fruits into strips.



XJT-5T800

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-Q5A	220V	0.37kw	100-200kg/h	530*450*600mm	≈ 45kg
XJT-Q5B	220V	0.75kw	200-400kg/h	1100*540*600mm	≈ 65kg
XJT-5T800	380V	1.5kw	800-1000kg/h	1110*640*900mm	≈ 90kg



小型切瓜果机

Small onion and fruit cutting machine

用于各种蔬菜、瓜果加工。各种不同功能的刀盘可互换使用，方便用户选择，可以丝、切条、切片、切丁。

It is used for processing various vegetables, onions and fruits. Knife discs with different functions can be interchanged for user's convenience, and can be cut into silk, strip, slice and dice.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-GG1	220V	0.2kw	300kg/h	600*200*410mm	≈ 20kg

台式切瓜果机

Desktop onion and fruit cutting machine



型号 Model	电压 Voltage	功率 Power	刀盘直径 Cutter diameter	产品尺寸 Product size	产品重量 Product weight
XJT-GG28	110/220V	0.25kw	205mm	580*385*550mm	≈ 25kg
XJT-GG28A	110/220V	0.25kw	205mm	580*385*550mm	≈ 25kg
XJT-GG28B	110/220V	0.25kw	205mm	580*385*550mm	≈ 25kg

该机型切菜机 本机专用于切片块豆腐菜。切割各种尺寸，调整尺寸并可根据需要更改刀具尺寸。出料口有橡胶装置，使用更安全。

The machine is specifically designed for slicing tuberosity vegetables. Cut various sizes, adjust the dimensions, and change the tool size as needed. The discharge port has a rubber cushion device for safer use.

玉米脱粒机 Corn thresher

型号 Model	XJT-113605
电压 Voltage	220/380V
功率 Power	2.2kw
产量 yield	400-500kg/h
产品尺寸 Product size	1300*600*1250mm
产品重量 Product weight	≈ 100kg

适合各种鲜、甜、糯玉米。该玉米脱粒机脱粒，出口口配有鼓风机使脱粒后的玉米粒更加干净、无泥。

Suitable for threshing all kinds of fresh, sweet, sticky corn and flour corn after threshing, the outlet is equipped with a blower to make the threshed corn clean and beautiful.



XJT-F06



瓜果分瓣分块机 Melon and fruit splitting machine

瓜果分瓣机可用于冬瓜、南瓜、西瓜、哈密瓜、西瓜等大中小型瓜果类升瓣。利用气压将瓜壁横切刀具，从而达到瓜瓣分瓣的效果。整机采用不锈钢制作。

The melon and fruit splitting machine can be used to split large and medium-sized melon and fruit, such as winter melon, pumpkin, watermelon, cantaloupe and melon. Use air pressure to push the melon and fruit through the cutter, so as to achieve the effect of splitting the melon and fruit. The whole machine is made of stainless steel.



XJT-F03

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-F03	380V	3kw	1000-1300pcs/h	805*1180*580mm	≈ 45kg
XJT-F06	220V	0.24kw	100-300kg/h	650*650*920mm	≈ 30kg

盆式切碎机

Basin chopper



盆式切碎机采用高速旋转刀组原理将其切碎成粒，有仿手工的便利，食物营养成分保留不流失。整机采用食品级不锈钢，标配铜线电机，刀片使用进口特质不锈钢是您各种馅料加工理想之选。

The vegetable filling machine adopts the principle of high speed rotating knife group with basin rotation to cut it into fillings. It has the convenience of imitating manual work to fully retain the nutrients of the food without loss. The whole machine uses food grade stainless steel, optional standard copper wire motor, and imported special stainless steel blades, which are the ideal choice for processing various fillings.



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QX300A	110/220/380V	1.5kw	10kg/次 (order)	100-300kg/h	780*700*950mm	≈ 105kg



椰子粉碎机

Coconut crusher



本机是由我公司根据市场需求设计而成。针对椰子肉、冻果、果、根茎类果蔬进行破碎、粉碎，出料粗细可调节，最细可达到100目。

This machine is designed by our company according to the needs of the market. It is used for crushing and crushing coconut meat, frozen fruit, fruit, and root vegetables. The fineness of the discharge can be adjusted to reach 100 mesh.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-PS6	220V/50Hz	3kw	100kg/h	750*630*1000mm	≈ 125kg
XJT-PS8	380V/50Hz	7.5kw	1000kg/h	900*800*1100mm	≈ 180kg
XJT-PS10	380V/50Hz	11kw	2000-3000kg/h	1150*630*1000mm	≈ 250kg

大型打碎机 Large crusher



切碎机适合蒜头、姜、土豆、莴笋、洋葱、花生等多种蔬菜打成泥状或细切状，刀片数量可以自由增减（最多可达10支），使用方便。

The crusher is suitable for making garlic, ginger, potatoes, sprouts, onions and other vegetables into mud or finely cut slices. The number of blades can be freely added up to 10, which is convenient to use and can be cut into mud, soup, stew and dice.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJ1-QS800H	380V	2.2kw	500-1000kg/h	800*380*1000mm	≈100kg



切碎机 Chopper



主要用于各种肉类、调味品类、瓜果蔬菜类切成颗粒状和细碎状。机器接触食物部分全部采用不锈钢材料。切碎速度快，升温少，切碎效果很好。

Mainly used for cutting various meats, seasonings, fruits and vegetables into granular and paste shapes. All parts of the machine that come into contact with food are made of stainless steel material. Fast chopping speed, minimal heating, and excellent chopping effect.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJ1-QS10H	220V	3kw	1H	570*470*950mm	≈60kg
XJ1-QS20H	380V	5.5kw	2H	675*525*1050mm	≈102kg

切碎打浆机

Chopping Machine



型号 Model	XJT-F5004
额定电压 Rated Voltage	110/220V
额定功率 Rated Power	2.5kw
容量 Capacity	30L
产品尺寸 Product Size	670*620*1050mm
产品重量 Product Weight	≈ 40kg



型号 Model	额定电压 Rated Voltage	额定功率 Rated Power	容量 Capacity	产品尺寸 Product Size	产品重量 Product Weight
XJT-Q532L	110/220V	1.8kw	30L	670*620*1050mm	≈ 45kg
XJT-Q550	380V	4.5kw	50L	740*680*1120mm	≈ 60kg

新款通用多功能切碎机使用机械的方法将果蔬等物料打碎及搅拌均匀。工作原理是靠旋转刀片高速旋转把物品反复反复打碎。适用于果蔬汁、调味料等加工。

The new universal multifunctional chopper uses mechanical methods to break and stir materials such as fruits and vegetables into juice. The working principle is to use the high-speed rotation of the blades at the bottom of the mixing cup to repeatedly break the items. Suitable for processing fruit and vegetable juices, seasonings, etc.

国 切碎机 Chopper



台式切碎机有搅碎式、高速切碎、速度可控、颗粒均匀适用于肉馅、菜馅的切碎是包子、饺子等食品包点加工的理想选择。

The pet type stuffing cutter is directly feeding, high speed chopping, rotation and controllable, and the particles are uniform. It is suitable for chopping meat and vegetable fillings. It is an ideal choice for processing steamed stuffed buns, dumplings and other food packages.



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product Size	产品重量 Product Weight
XJT-805	110/220V	550w	5L	360*400*530mm	≈ 25kg
XJT-807	110/220V	750w	7L	380*420*540mm	≈ 26kg
XJT-R10	110/220V	1100w	10L	400*440*570mm	≈ 29kg
XJT-R15	110/220V	1400w	15L	420*460*620mm	≈ 33kg



国 切碎机 Chopper

适用于果蔬、坚果、肉类等物料打碎及搅拌成汁，工作原理是高速旋转刀片会连续旋转，把物品反复反复打碎。适用于大型沙冰机适用于沙冰、刨冰、绿豆沙、冰沙、奶茶店等。

It is suitable for breaking and mixing fruits and vegetables, nuts, meat and other materials into juice. The working principle is to break the items repeatedly by rotating the blade at the bottom of the mixing cup at high speed. Suitable for large sand for machines. Suitable for sand ice, shaved ice, mung bean sand, ice cream, milk tea shop, etc.



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product Size	产品重量 Product Weight
XJT-QS30	110/220V	0.75kw	3L	330*310*555mm	≈ 22kg
XJT-QS40	110/220V	1.1kw	5L	370*350*630mm	≈ 29kg
XJT-QS60	110/220V	1.5kw	8L	380*400*735mm	≈ 38kg
XJT-QS120	110/220V	3.3kw	13L	420*415*820mm	≈ 50kg



甘蔗汁机

Sugarcane Juice Machine

型号 Model	XJT-GZ45
电压 Voltage	110/220V
功率 Power	1.1kw
产量 Yield	350kg/h
产品尺寸 Product size	560*540*680mm
产品重量 Product weight	≈ 62kg



XJT-GZ3



XJT-GZ4



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-GZ3	220V	0.4kw	250kg/h	430*380*480mm	≈ 51kg
XJT-GZ4	220V	0.4kw	250kg/h	430*380*480mm	≈ 51kg

独立榨汁仓，可拆卸渣器，确保甘蔗汁绝对符合卫生标准，且方便每天清洗。高扭矩带调速电机，功率强大，超低噪音。自动式喂料，根据甘蔗大小自动调节，一次性压干，出汁率高，省时省力。

The independent juice bin and removable filter ensure that the sugarcane juice absolutely meets the hygiene standard and convenient for cleaning every day. High and precision induction motor, powerful power, ultra low noise. Automatic feeding mode, automatic adjustment according to the size of sugarcane, one-time drying, high juice yield, time-saving and labor-saving.



大型甘蔗机

Large sugarcane machine

型号 Model	XJT-GZ500
电压 Voltage	220V
功率 Power	3kw
产量 Yield	400kg/h
产品尺寸 Product size	850*480*630mm
产品重量 Product weight	≈ 140kg



XJT-GZ13



XJT-GZ500



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-GZ13	220V	0.75kw	200kg/h	400*320*600mm	≈ 45kg
XJT-GZ500	220/380V	3.1kw	500kg/h	850*480*630mm	≈ 140kg

适用于小型糖厂作坊，适用于甘蔗田直接作业，每次可投入2条甘蔗速度快捷，压榨器采用食品级不锈钢，带脚踏移动使用更便利，采用不锈钢全封闭结构，可内置蒸汽桶，保证蔗汁不外溢，安全、干净、卫生，甘蔗机传动部位均采用减速箱设计，并配有防震装置，大大减少机械运转过程中的噪音。

Suitable for small sugar processing workshops, suitable for direct operations in sugarcane fields, with a fast speed of adding 2 sugarcane at a time. The pressing roller is made of food grade stainless steel, with rollers for more convenient movement and use, it adopts a fully enclosed stainless steel structure and can be equipped with a steam bucket to ensure that the sugarcane does not leak out, which is safe, clean, and hygienic. The design of the gear reducer in the transmission part of the sugarcane machine is equipped with an anti-vibration device, greatly reducing the noise during mechanical operation.

手动水果榨汁机

Manual fruit juicer

型号 Model	XJT-5300
机身长度 Product length	300mm
产品尺寸 Product size	260*540*730mm
产品重量 Product weight	≈ 16kg

便携、省力,可作榨汁机不便加工的水果,居家户外都能适用。

It is portable and labor saving, and can be used to squeeze fruits that are inconvenient to be processed by the juicer. It can be used at home and outdoors.



商用榨汁机

Commercial juicer

型号 Model	XJT-B2000
电压 Voltage	110/220V
功率 Power	0.55kw
产品尺寸 Product size	430*350*450mm
产品重量 Product weight	≈ 10kg

全自动甘蔗削皮切段机

Full-automatic sugarcane peeling and cutting machine



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-GZ30240	220V	1.5kw	200-240pc/h	1340*560*1110mm	≈ 180kg

螺旋榨汁机

Spiral juicer



本机可以对含水分、液体的脆性物料及超纤维料进行压榨分离。优点压力大、吨位大，我们可以根据您的产量选择所需吨位的设备大小，根据物料来制定吨位的大小。

This machine can carry out solid-liquid separation of fine and coarse materials containing water and liquid. The advantages are large pressure and tonnage. We can design the size of equipment you need according to your output and determine the tonnage according to the material.



型号 Model	电压 Voltage	功率 Power	产量 Tonnage	产品尺寸 Product size	产品重量 Product weight
XJT-LX500	380V/50Hz	1.5kw	0.5t/h	770*110*880mm	≈ 68kg
XJT-LX1000	380V/50Hz	3kw	0.5-1t/h	1210*450*1350mm	≈ 88kg
XJT-LX1500	380V/50Hz	3kw	1.5t/h	1100*350*1000mm	≈ 125kg
XJT-LX2000	380V/50Hz	7.5kw	2t/h	1600*520*1450mm	≈ 130kg



破碎螺旋榨汁机

Crushing spiral juicer

该设备由破碎机螺旋榨汁机组成。破碎机安装在榨汁机的进料口上。破碎后的物料直接落入榨汁机榨汁。破碎机由箱体、飞刀转子、底刀、电机、皮带轮组成。飞刀转子在底刀的回转中高速旋转，在两者的共同作用下将物料破碎，进入榨汁机榨汁。

The equipment consists of a crusher and a spiral juicer, which is installed at the feeding port of the juicer, and the crushed material directly falls into the juicer for juice extraction. The crusher is composed of a box body, a flying knife rotor, a bottom knife, an electric motor, and a belt pulley. The flying knife rotor rotates at high speed in the gap between the bottom knives, and under the combined action of the two, the material is crushed and enters the juicer for juice extraction.

型号 Model	电压 Voltage	功率 Power	产量 Tonnage	产品尺寸 Product size	产品重量 Product weight
XJT-LX500S	380V/50Hz	2.25kw	0.1-0.5t	970*430*1330mm	≈ 120kg
XJT-LX1000S	380V/50Hz	4.5kw	0.5-1t	1230*450*1500mm	≈ 154kg
XJT-LX1500S	380V/50Hz	7.5kw	1-2t	1600*570*1600mm	≈ 160kg



五谷杂粮磨粉机

Cereal grain milling machine

型号 Model	XJF-1200
电压 Voltage	220V
功率 Power	1.1kW
产量 yield	≈ 30kg/h
机器尺寸 Machine size	410*220*340mm
产品重量 Product weight	≈ 7kg



五谷杂粮磨粉机

Cereal grain milling machine

磨粉机适用于五谷杂粮、中药材等化工研磨，工作原理采用同步电机直接带动磨片，使2片磨片互相摩擦的工作方式进行对物料的粉碎。连续式下料粉碎一制二磨方可达磨粉效果粉碎细度在50-200目。

The pulverizer is applicable to the chemical grinding of cereals, Chinese medicinal materials and other chemicals. The working principle is that the asynchronous motor directly drives the grinding discs, so that the two grinding discs rub against each other to crush the articles. The stone effect can be achieved by continuous grinding and grinding for use as two times. The grinding fineness is 50-200 mesh.

型号 Model	电压 Voltage	功率 Power	产量 Yield	机器尺寸 Machine size	产品重量 Product weight
XJF-1200Z	220V	1.1kW	10-30kg/h	530*230*530mm	≈ 30kg
XJF-2200	220/380V	2.2kW	20-40kg/h	600*300*430mm	≈ 43kg
XJF-3000	220/380V	3kW	20-50kg/h	670*300*400mm	≈ 50kg
XJF-3000L	220/380V	4kW	20-60kg/h	830*330*400mm	≈ 83kg

中草药粉碎机

Chinese herbal medicine pulverizer

型号 Model	XJT-FS150A
电压 Voltage	220/380V
功率 Power	2.5kw
产量 Yield	10-50kg/h
机器尺寸 Machine size	210*730*500mm
产品重量 Product weight	≈40kg



万能粉碎机

Universal pulverizer

本机适用于医药、食品、化工、冶金、橡胶、农业、科研等单位，作各种中药的、西药的、矿石、化工原料的粉碎加工。
This machine is suitable for crushing and processing various kinds of Chinese herbal medicine, western medicine material, ores and chemical raw materials in pharmaceutical, food, chemical, metallurgical, geological, agricultural, scientific research and other institutions.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-FS180A	380V	3kw	25-25kg/h	460*520*1040mm	≈75kg
XJT-FS250A	380V	5.5kw	75-250kg/h	750*600*1260mm	≈180kg
XJT-FS350A	380V	7.5kw	250-550kg/h	1160*700*1500mm	≈260kg
XJT-FS400A	380V	11kw	300-600kg/h	1600*900*1500mm	≈320kg
XJT-FS500A	380V	15kw	400-800kg/h	1200*1500*2000mm	≈400kg

XJT-CC180A
XJT-FS250A
XJT-FS350A
XJT-FS400A
XJT-FS500A
XJT-FS600A

自动除尘粉碎机

Automatic dust removal pulverizer

本机配备筛网，筛网可以根据客户要求进行调整。当物料被粉碎到小于筛孔直径时，粉料从筛网中出来，落入通过旋转分离器把物料粉末分离并落入集料桶中，粉尘则通过除尘风机被吸到布袋中，实现无尘出料。

This machine is equipped with a screen, which can be replaced according to customer requirements. When the material is crushed to less than the diameter of the screen hole, the powder comes out of the screen, and falls into the receiving bucket through a rotary separator to separate the material and dust. The dust is absorbed into the dust bag through a dust removal fan to achieve dust-free discharge.

XJT-CCF5180
XJT-CCF5250
XJT-CCF5350
XJT-CCF5400
XJT-CCF5500

螺旋上料机

Spiral feeding machine



产品为标准，根据不同类型的客户使用环境而定。
The product is new standard and customized according to different models and customer usage environments.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-CC180A	220/380V	3+0.37+0.37kw	75kg/h	1000*1300*1500mm	≈ 180kg
XJT-FS250A	220/380V	5.5+0.55+0.37kw	250kg/h	1300*1500*1800mm	≈ 300kg
XJT-FS350A	220/380V	7.5+1.1+0.55kw	500kg/h	1450*1600*2000mm	≈ 400kg
XJT-FS400A	220/380V	11+1.1+0.55kw	600kg/h	1450*1700*2050mm	≈ 500kg
XJT-FS500A	220/380V	15+1.1+1.1kw	800kg/h	1550*1800*2200mm	≈ 580kg
XJT-FS600A	220/380V	18.5+1.1+1.1kw	1000kg/h	1650*1850*2200mm	≈ 620kg
XJT-CCF5180	380V	0.37kw+1.8kw	120kg/h	1050*1000*1200mm	≈ 100kg
XJT-CCF5250	380V	1.1kw+2.2kw	250kg/h	1200*1200*1050mm	≈ 300kg
XJT-CCF5350	380V	1.1kw+2.2kw	500kg/h	1300*1300*1800mm	≈ 400kg
XJT-CCF5400	380V	1.1kw+2.2kw	600kg/h	1400*1400*1800mm	≈ 500kg
XJT-CCF5500	380V	1.1kw+2.2kw	1000kg/h	1500*1500*2000mm	≈ 800kg

油脂粉碎机 Oil grinder



机型为碳钢，与食品接触部分外包裹全为不锈钢材料，每套含4个压辊，磨辊采用高硬度合金钢离心浇铸成型，配不锈钢料斗1个。

The frame is made of carbon steel, and the outer packaging of the parts that come into contact with food is made of stainless steel. Each set contains 4 pressure rollers, and the grinding rollers are centrifugally cast from high-hardness alloy steel, equipped with 1 stainless steel material bucket.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJTYM500	380V	4kw	300-500kg/h	1750*550*1250mm	≈ 470kg



粗碎机 Coarse crusher



粗碎机适用中药材、食品、化工、冶金等行业。对坚硬物料加工前道工序的配套设备。

The coarse crusher is suitable for industries such as traditional Chinese medicine, food, chemical, and metallurgy, and is a supporting equipment for the pre-processing of hard and fragile materials.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJTF5200A	220/380V	3kw	50-100kg/h	800*540*1100mm	≈ 95kg
XJTF5300A	380V	5.5kw	100-200kg/h	1500*1000*1500mm	≈ 300kg
XJTF5350A	380V	7.5kw	150-350kg/h	1250*1000*1500mm	≈ 310kg

油脂粉碎机

oil grinder

型号 Model	XJT-F52
电压 Voltage	220/380V
功率 Power	1.5/2.2kw
产量 Yield	200-600kg/h
产品细度 Product fineness	0.2-1.2mm (可调/adjustable)
产品尺寸 Product size	900*650*1100mm
产品重量 Product weight	≈ 150kg

适用于花生、杏仁、核桃、芝麻、香料、食品调味料等含油性物质粉碎及设计的不锈钢型连续进料。出料粗细可调。

A stainless steel continuous feed and discharge pulverizer designed for oily substances such as peanuts, almonds, walnuts, sesame, spices, and food seasonings.



粉末混合机

powder mixer



该立式粉末混合机适用于食品、药品、农药、化工等行业使用。工作时由电动机驱动减速器带动鼓筒旋转，便于粉体及颗粒物料在最短时间内 360°全方位搅拌，无死角混合均匀度高。

The drum powder mixer is suitable for use in industries such as food, pharmaceuticals, pesticides, chemicals, etc. During operation, the drum worm gear is driven by an electric motor worm gear reducer, which facilitates the 360° rotation and mixing of powder and particles inside the drum, with high uniformity and no dead corners.

型号 Model	电压 Voltage	功率 Power	容量 Capacity	筛网尺寸 Mesh size model	产品尺寸 Product size
XJT-FH30	220V	0.37kw	15L	1.2mm	900*650*1100mm
XJT-FH60	220V	0.45kw	30L	1.2mm	950*700*1200mm
XJT-FH100	220/380V	0.75/1.1kw	50L	1.5mm	1000*750*1450mm
XJT-FH200	380V	1.5kw	100L	1.5mm	1250*900*1600mm
XJT-FH400	380V	3kw	200L	2mm	1450*1100*1800mm

超细研磨机

Ultra fine grinding machine

型号 Model	XJ1-EC15
电压 Voltage	220V
功率 Power	3kW
产量 yield	≈ 70kg/次 (Once)
产品尺寸 Product size	640*300*1500mm
产品重量 Product weight	≈ 150kg

超微研磨机的操作和微作微粉研磨机一样。对纤维性（如灵芝）以及高硬度（如金刚石、陶瓷）均能很好粉碎。随时进料随时出料，还可以随时调整出料粗细，作以可连续工作较长时间。

The operation of the ultrafine grinder is similar to that of a traditional grinder, which can effectively crush fibers (such as Ganoderma lucidum) and high hardness (such as diamond and ceramics). It can be fed and discharged at any time, and the fineness of the discharge can be adjusted at any time, so it can work continuously for a long time.



糖衣机

Sugar coating



为使药片可快地在其表面均匀涂上包衣结晶。并让例牌光白的，就必须用手工操作对锅内芯片分次地加数量加量糖料。通过旋转制时旋转，使糖衣片在锅内翻滚，若移将糖料使其在全部芯片上均匀分布，同时向锅内通以热风，可迅速将衣片剥去水份，最后得到白糖的糖衣包衣成品。

In order to evenly coat the surface of the chip with crystalline coating as soon as possible and achieve the purpose of polishing, it is necessary to manually spray the chips in the pot with sugar and initiate a sugar. Rotate the pot slowly clockwise to make the sugar coated pieces roll inside the pot, and the chip friction grinding is evenly distributed there on all chips. Simultaneously blowing hot air into the pot can quickly remove the surface moisture of the tablet, and finally obtain qualified sugar coated product. and high hardness (such as diamond and ceramics). It can be fed and discharged at any time, and the fineness of the discharge can be adjusted at any time, so it can work continuously for a long time.

型号 Model	电压 Voltage	功率 Power	产量 Yield	物料粒径 Material particle diameter	产品尺寸 Product size	产品重量 Product weight
XJ1-TY300	220V	1.1kw	2-5kg	300mm	320*260*230mm	≈ 15kg
XJ1-TY400	220V	1.50kw	3-8kg	400mm	400*340*260mm	≈ 23kg
XJ1-TY600	380V	3.35kw	20-50kg	600mm	925*580*1500mm	≈ 240kg

水蜜丸机

Shuimi Pills Machine



自动制丸机广泛应用于生产水丸、水散丸、散剂及丸状食品。
The performance of the automatic pill making machine is suitable for producing water pills, water disperse pills, round powders, and pill shaped foods.



型号 Model	电压 Voltage	功率 Power	产量 Yield	制丸规格 Pill size	产品尺寸 Product size	产品重量 Product weight
XJ1-JW50	220V	1.5kw	5-25kg/h	Φ6mm(可选件3.45.6.7.8)	640*440*800mm	≈ 130kg



多功能烘干机

Chinese herbal medicine drying machine

广泛应用于菌菇菌肉烘干，鸡鸭鱼肉生肉类产品烘干，蔬菜海鲜烘干，药材烘干以及其它食品的烘干需求。

Widely used for drying mushrooms and mushroom meat, drying chicken, duck, fish, pig and beef products, drying vegetables and seafood, drying medicinal herbs, and meeting the drying needs of other foods.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJ1-EC15	220V	3kw	≈ 70kg/次 (Once)	640*900*1500mm	≈ 150kg
XJ1-EC20	220V	4kw	60-100kg/次 (Once)	640*1530*1510mm	≈ 110kg

多功能榨油机 Multifunctional oil press



型号 Model	主电机功率 Host power	加热功率 Heating power	产量 Yield	加工物料 Processing diameter	产品尺寸 Product size	产品重量 Product weight
XJT-YG20	0.55kw	0.55kw	25kg/h	20mm	490*290*570mm	≈ 43kg
XJT-YG30	0.55kw	0.7kw	35kg/h	30mm	490*290*570mm	≈ 43kg
XJT-YG40	0.75kw	0.7kw	45kg/h	30mm	490*290*570mm	≈ 43kg



多功能榨油机 Multifunctional oil press



榨油机适用于花生仁、芝麻籽、杏仁、南瓜仁、葵花仁、油菜籽、蓖麻籽、大麻籽、桐子仁等材料。小型设计，可折叠桌子，移动方便。可在任何平坦的地方进行榨油。

The oil press is suitable for materials such as peanut kernels, sesame seeds, almonds, pumpkin kernels, sunflower kernels, rapeseed, flaxseed, hemp seeds, pine nuts, etc. Small design, optional wheels, easy to move. Can be placed in any stable place for oil extraction.

型号 Model	主电机功率 Host power	加热功率 Heating power	产量 Yield	加工物料 Processing diameter	产品尺寸 Product size	产品重量 Product weight
XJT-YG60	1.5kw	1.8kw	60kg	40mm	900*500*1060mm	≈ 54kg
XJT-YG80	1.5kw	2.2kw	80kg	40mm	900*500*1060mm	≈ 100kg
XJT-YG100	2.2kw	2.2kw	100kg	50mm	900*500*1060mm	≈ 120kg

精磨机

Refiner

型号 Model	XJT-2H22R
电压 Voltage	220/380V
功率 Power	1.5kw+0.5kw
容量 Capacity	20L
筛网尺寸 Fine grinding sieve	8-100μ
筛网精度 Fine grinding fineness	20-25 微米 (μm)
产品尺寸 Product size	530*600*1130mm
产品重量 Product weight	≈ 225kg

精磨机是精研磨巧克力糖的主要设备之一，亦适用于研磨豆粉油料浆液，以及日用化工材料提浆求精的研磨。

A precision grinder is one of the main equipment for finely grinding chocolate, and it is also suitable for grinding the liquid quality of various powders and oil, as well as for precision grinding of daily chemical base materials with particular requirements.



卫生级胶体磨

Sanitary colloid mill



胶体磨主要以多功能立式处理液体和微粉粉碎、粉碎、乳化、分散、均质、搅拌、混合等功能为主导产品，可代替并优于石磨、砂磨机、球磨机、球磨机、剪切分散泵、均质乳化机、三辊机、齿形破碎机等工作效率，产品细度可达到2-40um，电机转速2000rpm。

The colloid mill mainly features multi-function wet processing fluid particle crushing, grinding, emulsification, dispersion, homogenization, stirring, mixing, and other functions as the leading product. It can replace and outperform stone mills, sand mills, ball mills, milk homogenizers, shear disperser pumps, homogenizing emulsifying machines, three rollers machines, and toothed crushers in terms of work efficiency. The product fineness can reach 2-40um, and the motor speed can reach 2000rpm.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-110A	220/380V	2.2kw	≈ 0.5t/h	370*750*750mm	≈ 100kg
XJT-130A	380V	4kw	≈ 1.5t/h	700*850*980mm	≈ 150kg
XJT-1100A	380V	7.5kw	≈ 2t/h	800*120*950mm	≈ 200kg
XJT-120A	380V	7.5kw	≈ 3t/h	800*120*980mm	≈ 250kg
XJT-140A	380V	11kw	≈ 4t/h	920*540*1150mm	≈ 290kg

卫生级胶体磨

Sanitary colloid mill



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-LS0A	220/380V	1.5kw	≈ 0.3t/h	280*280*700mm	≈ 50kg
XJT-LS0A	380V	3kw	≈ 1.5t/h	400*400*950mm	≈ 90kg
XJT-LS100A	380V	5.5kw	≈ 2t/h	420*420*980mm	≈ 145kg



多功能研磨机

Multi functional grinding machine



适用于制药、食品、化工及行业湿物料超微粉碎、有粉碎、乳化、均质混合等优点。

It is suitable for superfine grinding of wet materials in pharmaceutical, food, chemical and industrial fields. It has the advantages of crushing, emulsification, homogenization, etc.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-JMG1300	380V 50Hz	11kw	0.5~2t/h	975*450*1050mm	≈ 250kg
XJT-JMG1800	380V 50Hz	22kw	1~6t/h	1000*470*1160mm	≈ 400kg
XJT-JMG2400	380V 50Hz	45kw	3~10t/h	1319*500*1276mm	≈ 800kg

搅拌机

Mixer



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-BD1101	110/220V	1.1kw	10L	-	≈ 58.5kg
XJT-BD1201	110/220V	1.5kw	20L	160*320*620mm	≈ 75kg



双速双动和面机

Double speed double action dough mixer



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-HS20	220/380V	1.5kw	8kg/次	730*290*900mm	≈ 90kg
XJT-HS30	220/380V	1.5kw	12kg/次	750*435*900mm	≈ 100kg
XJT-HS40	220/380V	3kw	16kg/次	880*480*970mm	≈ 115kg
XJT-HS50	220/380V	3kw	20kg/次	950*510*970mm	≈ 125kg
XJT-HS60	220/380V	3kw	25kg/次	1050*510*970mm	≈ 130kg

小型搅拌机 Small mixer



搅拌机适用于体制面团、打蛋、和面和搅拌其它食物。本公司搅拌机是专业级结构的搅拌机。其精制搅拌工具均采用 304 不锈钢。

The mixer is suitable for kneading dough, beating eggs, kneading noodles, and stirring other foods. Our company's mixer is a fully geared mixer with 304 stainless steel material barrels and mixing tools.



型号 Model	电压 Voltage	功率 Power	容量 Bowl	产品尺寸 Product size	产品重量 Product weight
XJT-65	220V	0.3kw	0.5kg	400*230*250mm	≈ 12kg
XJT-67	220V	0.32kw	0.5kg	400*250*410mm	≈ 16kg

双速双动和面机 Double speed double action dough mixer



XJT-HS100
XJT-HS130
XJT-HS200
XJT-HS260



型号 Model	电压 Voltage	功率 Power	产量 Bowl	产品尺寸 Product size	产品重量 Product weight
XJT-HS80	380V	1.2kw	30kg/次	880*560*1300mm	≈ 250kg
XJT-HS100	380V	4.1kw	40kg/次	1080*550*1380mm	≈ 340kg
XJT-HS130	380V	6.4kw	50kg/次	1180*730*1380mm	≈ 415kg
XJT-HS200	380V	9.5kw	75kg/次	1330*840*1560mm	≈ 670kg
XJT-HS260	380V	9kw	100kg/次	1330*1140*1560mm	≈ 520kg

75

18年 18th anniversary

面食烘培 PASTA BAKING

加工系列 MACHINING SERIES

带车搅拌机

Track mixer



型号 Model	XJT-1001
电压 Voltage	380V
功率 Power	4.0kw
转速 Speed	288/132/62rpm
产品尺寸 Product size	920*610*1320mm
产品重量 Product weight	≈ 337kg



多功能搅拌机

Multifunctional mixer



搅拌机适用于揉制面团、打蛋、和面和搅拌其它食物。本公司搅拌机是全新结构的搅拌机。料桶和搅拌工具均采用 304 不锈钢。

The mixer is suitable for kneading dough, beating eggs, kneading noodles, and stirring other foods. Our company's mixer is a fully new structure mixer, with material bucket and mixing tools made of 304 stainless steel.

型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-1001	220/380V	0.5kw	10L/次	450*370*600mm	≈ 48kg
XJT-2001	220/380V	1.1kw	20L/次	550*400*770mm	≈ 70kg
XJT-3001	220/380V	1.25kw	30L/次	580*450*840mm	≈ 78kg
XJT-4001	220/380V	2.2kw	40L/次	630*500*940mm	≈ 114kg
XJT-5001	380V	2.5kw	50L/次	850*580*1160mm	≈ 240kg
XJT-6001	380V	2.7kw	60L/次	870*630*1270mm	≈ 262kg

离缸式双速双动和面机 Off cylinder dual speed double action dough mixer



型号 Model	电压 Voltage	功率 Power	容量 Weight	产品尺寸 Product size	整机尺寸 Machine Size
XJT-SHG100	380V	11kw	250L/100kg	1150*918*1365mm	2570*1790*1865mm
XJT-SHG125	380V	18kw	320L/125kg	1250*918*1365mm	2930*1760*1865mm



翻缸式双速双动和面机 Flip cylinder dual speed double action dough mixer

双速双动翻缸式和面机，运行时和面钩和料斗同时转动，使面粉更均匀。料桶自动翻缸可拆卸，搅拌头可抬起，方便收料，便于清洗。设有抬头急停装置，保证使用安全。底座带有脚轮，方便移动。

The dual speed, double action, flip cylinder mixer rotates simultaneously with the mixing pin and hopper during operation. Make the dough more even. The automatic turnover cylinder of the material bucket is detachable, and the mixing head can be lifted, making it convenient for material collection and cleaning. Equipped with a head-up emergency stop device to ensure safe use. The bottom is equipped with casters for easy movement.

型号 Model	电压 Voltage	功率 Power	容量 Weight	产品尺寸 Product size	产品重量 Product weight
XJT-H100	380V	7.75kw	50kg/次	1380*1160*1400mm	≈ 860kg
XJT-H130	380V	11.25kw	75kg/次	1580*1380*1560mm	≈ 1200kg
XJT-H180	380V	14.25kw	100kg/次	1650*1500*1630mm	≈ 1420kg
XJT-H220	380V	14.25kw	125kg/次	1680*1550*1650mm	≈ 1580kg

变频搅拌机
Variable frequency mixer

整机采用全不锈钢，全密封设计，搅拌器可轻松拆卸，搅拌桶可拆卸材料，带开工作模式，适用于制粉、粉体搅拌、粉体混合、面粉混合、面粉混合、面粉混合。

The machine works quietly, can adjust speed, and is easy to load and load. The mixing bucket can lift and pour materials, suitable for mixing pharmaceutical powder, drug powder, powder, powder, and powder.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-W550L	110/220V	0.75kw	15-25kg/次	730*400*700mm	≈ 65kg
XJT-W570A	110/220V	1.1kw	25-30kg/次	800*400*800mm	≈ 90kg
XJT-W5150A	110/220V	1.5kw	50-70kg/次	900*500*950mm	≈ 145kg

强力和面机
Strong dough roller

强力和面机是面食加工的主要设备之一。它能够将面粉与水（还可以加食用油、食盐及其它食物添加剂等）混合制成面团。整机不锈钢外壳，自动翻斗出面，面斗内并全为不锈钢材料制作，滚轴采用 304 材料制作，采用链条传动，噪音更低。

Strong dough-rolling machine is one of the main equipment for noodle processing, which can mix flour with water (and can also add oil, sugar, and other food and food additives to form dough). The stainless steel outer cover of the entire machine, automatic flipping bucket, and the inside and outside of the bucket are all made of stainless steel material, and the rolling roller is made of 304 material. Adopting chain transmission, with lower noise.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-HQL75	380V	4.75kw	75kg/次	1180*700*1400mm	≈ 510kg
XJT-HQL100	380V	6.75kw	100kg/次	1350*700*1400mm	≈ 570kg
XJT-HQL150	380V	9.25kw	150kg/次	1450*750*1400mm	≈ 625kg
XJT-HQL200	380V	9.25kw	200kg/次	1230*680*7100mm	≈ 525kg

手动分块机

Manual chunking machine



XJ1-FS300



液压分块机

Hydraulic blocking machine

XJ1-FS300



型号 Model	电压 Voltage	功率 Power	适用范围 Range range	产品尺寸 Product size	产品重量 Product weight
XJ1-FS300			30g-180g	370*500*1100mm	≈ 125kg
XJ1-FS20	220/180V	1.5kw	100g-900g	660*700*1060mm	≈ 425kg

半自动

Semi-automatic

XJ1-FC30A



全自动

Fully automatic

XJ1-FC30



分割滚圆机

Splitting and rounding machine



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJ1-FC30A	220/380V	1.5kw	30pcs/次	550*650*1450mm	≈ 450kg
XJ1-FC30	220/180V	0.75kw	30pcs/次	550*720*1250mm	≈ 358kg

分割滚圆，滚圆时间可调，一次性完成，提供生产效率，操作简单，易维护。

Splitting and rounding, the dough has a short rolling time and can be completed in one go, providing production efficiency, simple operation, and easy maintenance.

台式开酥机
Desktop pastry machine

型号 Model	电压 Voltage	功率 Power	整机重量 Maching weight	滚轴厚度 Rolling thickness	产品尺寸 Product size	产品重量 Product weight
XJT-7400A	220/380V	0.4kw	4kg	1-25mm	1700*550*780mm	≈ 110kg
XJT-1450A	220/380V	0.55kw	4kg	1-25mm	1770*620*820mm	≈ 117kg
XJT-1520A	220/380V	0.55kw	5kg	1-25mm	2080*620*880mm	≈ 125kg

开酥机
Crisper

用于制作各种花式西点和糕点等食品。适用于面包糕点店、酒店厨房以及需要制作糕点的食品厂。

It is used to make crisp baky pastries, cakes and other foods. It is suitable for bread bakery, pastry house and catering kitchen where pastry needs to be made.

型号 Model	电压 Voltage	功率 Power	整机重量 Maching weight	滚轴厚度 Rolling thickness	产品尺寸 Product size	产品重量 Product weight
XJT-5P1450	220/380V	0.55kw	4kg	1-25mm	820*1770*820mm	≈ 117kg
XJT-5P1520	220/380V	0.4kw	5kg	1-25mm	800*2080*820mm	≈ 125kg
XJT-5P1520	220/380V	0.55kw	5kg	1-40mm	880*2250*1180mm	≈ 190kg
XJT-5P1650	220/380V	0.75kw	8kg	1-40mm	1100*2550*1180mm	≈ 225kg

电脑全自动开酥机

Computer fully automatic pastry opener



型号 Model	电压 Voltage	功率 Power	加工重量 Working weight	加工厚度 Working thickness	产品尺寸 Product Size	产品重量 Product weight
XJF-2010	220/380V	5kw	10kg	0-40mm	4800*1280*1380mm	≈ 450kg
XJF-2015	220/380V	5kw	15kg	0-48mm	3600*1380*1380mm	≈ 450kg

披萨机

Pizza machine

XJF-P5300



XJF-P5400



型号 Model	电压 Voltage	功率 Power	产量 Yield	加工尺寸 Product size	产品重量 Product weight
XJF-P5300	110/220V	0.37kw	50-500kg/h	100-300mm	≈ 37kg
XJF-P5400	110/220V	0.37kw	50-500kg/h	100-300mm	≈ 39kg

全自动披萨饼机，可把面团快速制成圆饼。机身采用食品级不锈钢，可调节面团厚度，是披萨店、西餐店专用设备！

The semi-automatic pizza machine can quickly press dough into round cakes. The body is made of food grade stainless steel, and the thickness of the dough can be adjusted. It is a special equipment for pizza shops and Western restaurants.

全自动米粉机

Full automatic rice noodle machine



平锅锅多功能液态米粉机可加工：粉条、米线、桂林米粉等，以及以红薯、玉米大豆、土豆等各种杂粮制成的淀粉为原料，生产各类粉条、粉条。

The stainless steel multi-function liquid rice noodle machine can process sweet potato, rice noodle, glutinous rice noodle, etc., as well as starch made from sweet potatoes, corn, soybeans, potatoes and other miscellaneous grains or raw materials to produce various types of vermicelli and noodles.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-MF50	220V/380V	3kw	10-60kg/h	1030*460*1460mm	≈ 100kg



压面条机

Noodle pressing machine



面条机用于压制面条，面条可根据客户要求配置不同规格，盒下面刀可压制压面或压饺子、饺子皮等使用。

The noodle machine is used to press noodles. Noodles can be configured with different specifications according to customer requirements, and can be directly pressed with a knife. It is suitable for use in hotels, restaurants, and other places.

型号 Model	电压 Voltage	功率 Power	产量 Yield	额定功率 Rated power	产品尺寸 Product size	产品重量 Product weight
XJT-100A	220V	0.55kw	15kg/h	100W	370*125*405mm	≈ 18kg
XJT-180A	220V	0.55kw	18kg/h	100W	390*125*405mm	≈ 19kg
XJT-200A	220V	0.55kw	20kg/h	100W	410*125*405mm	≈ 20kg
XJT-240A	220V	0.55kw	24kg/h	100W	450*125*405mm	≈ 22kg

4刀面条机 4 blade noodle machine

型号 Model	XJT350-4
电压 Voltage	220V
功率 Power	1.5kw
制面厚度尺寸 Size of thick noodles	4/2.5 mm
制面薄尺寸 Size of thin noodles	1/2mm
产品尺寸 Product size	720*540*720mm
产品重量 Product weight	≈ 40kg

可以压面皮，切面条，做饺子皮，削藕片，八宝饭，针对现代家庭设计，干净，卫生，产品小，上档次。

Can be pressed into dough, cut into noodles, make dumpling skins, bulk and vegetable noodles, children's noodles, designed for modern families, clean, hygienic, quiet, and space.



揉压切面条机 Kneading and cutting noodle machine

揉压切面条机，可压面和切面条两用。根据传统手擀面的味道，压面可压饺子皮，藕片皮，压面可调节厚度，切面条可切宽而厚面，不同力度切不同规格的面。

The kneading and cutting noodle machine can be used for both kneading and cutting noodles, simulating the taste of traditional hand-kneaded noodles. Pressing noodles can press dumpling skins, radish skins, adjustable thickness, and cutting noodles can cut wide and thin noodles. Different knife sets can cut different specifications of noodles.

XJT-HY220M1
XJT-HY210M1



XJT-M130A



型号 Model	电压 Voltage	功率 Power	出面条宽 Size of thick noodles	产品尺寸 Product size	产品重量 Product weight
XJT-M130A	220/380V	1.5kw	0.5-10mm	450*350*850mm	≈ 80kg
XJT-HY220M1	220V	1.5kw	0.5-15mm	600*400*1250mm	≈ 110kg
XJT-HY210M1	220V	2.2kw	0.5-15mm	1150*650*1350mm	≈ 150kg

烧麦机

Skewered wheat machine

型号 Model	XJT-F103B
电压 Voltage	110/220V
功率 Power	0.25kw
产量 Yield	950pcs/h
产品尺寸 Product size	680*400*850mm
产品重量 Product weight	≈ 92kg

本机是一种实用新型烧麦包馅机。适用于高速制造各种外形及馅料调制的烧麦。烧麦的尺寸重量可根据客户自行定制生产。

This machine is a practical new type of skewered wheat filling machine, suitable for high-speed manufacturing of various shapes and various types of filling dumplings. The size and weight of skewered wheat can be customized and produced by customers.



水饺机

Dumpling machine

自动轧面皮系统，面皮厚薄可调，面团不会发热焦化，保持面筋弹性。自动压合成型，全自动化无需人工控制，高效于包饺子皮。一机多用只需更换模具就可以制作不同大小饺子皮。

Automatic dough rolling system, with adjustable thickness of dough, prevents dough from heating and pasting, maintains gluten and texture, and automatically presses and forms. It is fully automated and does not require manual control, making dumpling skins efficient. It can be made into different sizes of dumpling skins by changing the grinding tool.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-F16	110/220V	0.25kw	3000-8000pcs/h	1200*700*970mm	≈ 37kg
XJT-3PM5D	220V	0.55kw	60pcs/minute	510*320*425mmH	≈ 22kg

全自动包子机

Fully automatic bun machine

型号 Model	XJT-B22
电压 Voltage	220V
功率 Power	1.57kw
产量 Yield	3000pcs/h
产品尺寸 Product size	1500*770*1570mm
产品重量 Product weight	≈ 150kg

全自动多功能包子机，制品多样化，使用/清洗方便。采用优质不锈钢打造，机身坚固。可制作肉包、菜包、叉烧包、豆沙包、奶黄包、馒头。

The all-while dynamic multifunctional bun machine has a variety of products, convenient to use and clean, and is made of high quality stainless steel, with a sturdy body. It can be used to make meat buns, vegetable buns, Char siu buns, bean paste buns, milk buns and Mantou.



半自动

Semi-automatic

XJT-H128



包饺子机

Dumpling making machine

本机特有的模具构造，完全仿人工的包制技术，不仅能包合调的面皮，还可以包制菜肉皮，其它材料制作而成的皮。无需模具，能包出 17-30 克大小的小饺子。具有仿手工饺子机完美的口感。

The special mold structure of this machine is completely imitated by manual packaging technology, which can not only wrap the dough, but also wrap vegetable meat, and other materials made dumpling skins. By changing the mold, it can wrap dumplings in the size of 17-30 grams, with a taste comparable to handmade dumplings.

全自动

Fully automatic

XJT-J4000
XJT-J4000S



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-H128	110/220V	30w	150kg/h	350*170*450mm	≈ 50kg
XJT-J4000	110/220V	2.5kw	≈ 4000pcs/h	640*440*900mm	≈ 130kg
XJT-J4000S	110/220V	2.5kw	≈ 4000pcs/h	1280*440*900mm	≈ 130kg

■ 烘烤醒发一体机

Baking and fast醒发ing all in one machine



型号 Model	XJT-TYXZ-4
电压 Voltage	380V
功率 Power	1.6kw
烘焙数量 Number of baking plates	4 盘 (baking plate)
产品尺寸 Product size	1300*850*1500mm
产品重量 Product weight	~ 165kg

电脑型精准控制温度湿度，不锈钢机身，自动进水。

Computer type precise control of constant temperature and humidity, stainless steel body, automatic water inlet.



■ 醒发箱

Awakening box



发酵温度、湿度可独立控制，不受季节和环境的影响，可给食物提供更加稳定的发酵环境，食物更加松软可口。

The fermentation temperature and humidity can be independently controlled, independent of seasonal and environmental influences, providing a more stable fermentation environment and making food more soft and delicious.

型号 Model	电压 Voltage	功率 Power	烘焙数量 Number of baking plates	产品尺寸 Baking tray size	产品尺寸 Product size
XJT-XF60	220V	1.6kw	6 盘 (plate)	60*60mm	500*735*1450mm
XJT-XF120	220V	1.6kw	12 盘 (plate)	60*60mm	1000*680*1450mm
XJT-XF140	220V	2.6kw	14 盘 (plate)	60*60mm	500*735*1730mm
XJT-XF160	220V	2.6kw	16 盘 (plate)	60*60mm	500*735*1730mm
XJT-XF320	220V	2.6kw	32 盘 (plate)	60*60mm	1001*735*1730mm

仪表款/电脑款-电烤箱 instrument/A computer version - electric oven



我公司生产的电烤箱有多种规格，产品可独立控温，可定时，可用来制作烘焙食品，也可以做肉类制品加工。机身四周采用加厚隔热保温层，比普通烤箱和灶更具有保温隔热性，升温快且热量不易流失让腔内温度更加平衡均匀，烘出来的食材口感更加丰富，更节约能源节省成本。

Our company produces electric ovens in various specifications, which can be independently controlled and timed. They can be used to make baked goods or for processing meat products. The body is surrounded by a thickened insulation layer, which has better insulation compared to ordinary ovens. It heats up quickly and it is not easy to lose heat, making the temperature inside the chamber more stable and even. The baked ingredients have a richer taste and even more energy efficient and energy saving effects.



型号 Model	电压 Voltage	功率 Power	烘盘数量 Number of baking plates	产品尺寸 Product size	产品重量 Product weight
XJT-DYKX1-2	220/380V	5.6kw	2盘 (baking pans)	1220*795*540mm	≈ 18kg
XJT-DYKX2-2	220V	5.4kw	2盘 (baking pans)	880*580*730mm	≈ 10kg
XJT-DYKX3-4	220/380V	13kw	4盘 (baking pans)	1220*795*1200mm	≈ 20kg
XJT-DYKX5-6	380V	19.8kw	6盘 (baking pans)	1720*795*1400mm	≈ 22kg
XJT-DYKX3-9	380V	24kw	9盘 (baking pans)	1650*795*1400mm	≈ 20kg

热风旋转烤炉

Hot air rotary oven



烘烤范围广，产量大，耗能低，特殊风道设计，可根据烘焙产品上色情况，适当调节。炉内 360 个万向轮环，保证热风充分对流，炉内温度更均匀。

The baking range is wide, the yield is high, the energy consumption is low, and the special air duct design can be adjusted according to the coloring situation of the baked products. 360 degree circulation inside the furnace ensures sufficient convection of hot air and a more uniform temperature inside the furnace.



型号 Model	电压 Voltage	功率 Power	燃料 Fuel	烘盘数量 Number of baking plates	产品尺寸 Product size
XJT-120	380V	31kw	柴油 / Diesel	12 盘 (baking pans)	1400*1980*2000mm
XJT-150	380V	30kw	电 / Electricity	18 盘 (baking pans)	1400*2225*2420mm
XJT-220	380V	46kw	燃气 / Gas	32 盘 (baking pans)	1660*2600*2420mm
XJT-440	380V	72kw	柴油 / Diesel	64 盘 (baking pans)	2000*2885*2420mm
XJT-120	220/380V	3kw	电 / Electricity	12 盘 (baking pans)	1400*1980*2000mm
XJT-160	220/380V	3kw	燃气 / Gas	16 盘 (baking pans)	1400*2225*2420mm
XJT-320	220/380V	3kw	燃气 / Gas	32 盘 (baking pans)	1660*2600*2420mm
XJT-440	220/380V	3kw	柴油 / Diesel	64 盘 (baking pans)	2000*2885*2420mm
XJT-12Y	220/380V	3kw	电 / Electricity	12 盘 (baking pans)	1400*1980*2000mm
XJT-16Y	220/380V	3kw	燃气 / Gas	16 盘 (baking pans)	1400*2225*2420mm
XJT-32Y	220/380V	3kw	电 / Electricity	32 盘 (baking pans)	1660*2600*2420mm
XJT-44Y	220/380V	3kw	燃气 / Gas	64 盘 (baking pans)	2000*2885*2420mm

陈列展示蒸柜

(Display and display steam cabinet)



食物陈列蒸柜采用钢化玻璃，食品展示清晰可见，具有防水防尘效果，严防电热器干燥温度可控制在 90-110 度，适合食物的加热和展示效果。

The food display steaming cabinet is made of tempered glass, food display is clear and visible, with waterproof and dustproof effect, strictly preventing electric heater drying temperature can be controlled 90-110 degrees, suitable for heating and displaying food.



型号 Model	电压 Voltage	功率 Power	层数 Number of layers	产品尺寸 Product size	产品重量 Product weight
XJT-500A	220V	1.2kw	5 层 (floor)	380*420*1500mm	≈ 26kg
XJT-620A	220V	1.4kw	6 层 (floor)	430*510*1600mm	≈ 36kg

XJT-ZD1



12/108
12/115
12/124

巧克力熔炉

(Chocolate melting furnace)



适用于巧克力酱加热料理，持续搅拌均匀，方便客户做巧克力模型，由光河向内的巧克力块，通过转盘搅拌，连续加热料理，温度保持精准 1 度以内。

Suitable for chocolate sauce heating processing, continuous stirring, convenient for customers to make chocolate models, by light river inward chocolate blocks, through the turntable stirring, continuous heating processing, temperature accuracy within 1 degree.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-ZD1	220V	45kw	-	420*390*600mm	-
12/108	110/220V	0.3kw	3-8kg/h	435*510*480mm	≈ 25kg
12/115	110/220V	1kw	5-15kg/h	560*600*590mm	≈ 40kg
12/124	110/220V	2.2kw	15-45kg/h	1215*650*160mm	≈ 75kg

吐司整形机

toast shaping machine



在原料材料输送带，根据不同的面包要求可调节压板的时间，控制面包的滑动长度。压板表面经过特殊处理，不易刮伤不锈钢压板，不粘面，易清洗。

Food grade material conveyor belt, adjustable spacing of pressing plates according to different bread requirements, controlled sliding length of dough. The surface of the pressing roll has been plated with hard treatment, which is not easy to scratch the stainless steel plate, not sticky, and easy to clean.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
X11-ZX16	220/380V	0.25kw	1000-3000pcs/h	625*1500*1180mm	≈ 225kg



吐司切片机

toast slicer



采用不锈钢材质的刀片锋利快速好用，可根据面包的长度调节固定档板，本机适用于方形面包、蒜香包、吐司、馒头等加工成薄片。

The stainless steel blade is sharp, fast and easy to use. The fixed buffer can be adjusted according to the length of bread. This machine is suitable for processing square bread, bread, Mantou, etc. into thin pieces.

型号 Model	电压 Voltage	功率 Power	刀片数量 Number of blades	刀片距离 Blade distance	产品尺寸 Product size	产品重量 Product weight
X11-QP31	220V	0.25kw	0.33kg/h	12mm	650*250*140mm	≈ 58kg
X11-FB19	220V	0.37kw	0.33kg/h	20mm	680*650*600mm	≈ 58kg
X11-FB23	220V	0.37kw	0.33kg/h	16mm	680*650*600mm	≈ 58kg

Madin/麦登冷热調理机 Madin/Maden cold and hot conditioning machine

型号 Model	MD-221
电压 Voltage	220V
功率 Power	1.2kw
容量 Capacity	2L
产品尺寸 Product size	230*230*600mm
产品重量 Product weight	≈ 4kg



破壁料理 KitchenAid cooking

不同系列型号齐全，个性化颜色定制可选。适用于制作沙冰、豆浆、辅食、饮品等厨房料理必备产品。

Various sizes and models are available, and personalized colors are available. It is suitable for making sand ice, soybean milk, baby food, drinks, etc. It is a necessary product for kitchen cooking.



型号 Model	2.5L	3.5L	5L	6L	8L	10L
电压 Voltage	110/220V	110/220V	110/220V	110/220V	110/220V	110/220V
功率 Power	3kw	2.5kw	2.2kw	2.2kw	2.2kw	2.5kw

制冰机

Ice machine

1. 无冰块脱落检测，连续三次循环制冰检测无冰块脱落，本机启动停机。

2. 环境温度检测，当环境温度检测超过设定温度，本机启动停机。

3. 智能缺水检测，当检测到水时本机启动停机。

1. No ice falling off detection, continuous three cycles of ice making detection, no ice falling off, the machine automatically stops.

2. Environmental temperature detection, When the environmental temperature exceeds the specified temperature, the machine will automatically shut down.

3. Intelligent water shortage detection, the machine automatically stops when it reaches the water shortage.



型号 Model	电压 Voltage	产量 Yield	冰量 Ice/day	产品尺寸 Product size
XJ1-23	220V	23kg/天 (day)	4"8	500*525*820mm
XJ1-40	220V	40kg/天 (day)	5"8	500*525*820mm
XJ1-60	220V	60kg/天 (day)	5"12	500*525*820mm
XJ1-90	220V	90kg/天 (day)	6"10	660*650*970mm
XJ1-120	220V	120kg/天 (day)	6"10	660*650*970mm



1. 点动启动制冰机控制柜面板不锈钢金属外壳。

2. 加厚取冰门采用水冷冷却防止侧板变形。

3. 特制加厚发泡层防止冷气侧漏性侧板变形。

1. The control panel of the high density foam integration to make it made of stainless steel metal shell.

2. Thickened ice gate copper tube water cooled continuous with stainless steel expansion water.

3. Thickened foam layer not just copper parts to prevent side leakage.

型号 Model	电压 Voltage	产量 Yield	冰量 Ice/day	产品尺寸 Product size
XJ1-300H	220V	130kg/天 (day)	12"13	565*830*1715mm
XJ1-400H	220V	181kg/天 (day)	13"14	565*830*1715mm
XJ1-500H	220V	220kg/天 (day)	14"18	780*850*1725mm
XJ1-700H	220V	317kg/天 (day)	15"20	1160*850*1835mm
XJ1-1000H	220V	453kg/天 (day)	17"20	1160*1030*1835mm

商用冰箱
Commercial refrigerators



型号 Model	电压 Voltage	功率 Power	制冷剂 Refrigerant	制冷范围 Refrigeration temperature	外形尺寸 Product size
XJT-212T	220V	185W	R134a	5°C-5°C	500*525*820mm
XJT-262TD	220V	185W	R134a	15°C-0°C	500*525*820mm
XJT-25C2T	220V	145W	R134a	5°C-5°C	500*585*895mm
XJT-25C2TD	220V	157W	R134a	-15°C-0°C	600*525*970mm
XJT-4C2T	220V	160W	R134a	5°C-5°C	600*650*970mm
XJT-4C2TD	220V	195W	R134a	-15°C-0°C	600*650*970mm