



<http://www.atcgroups.com/>



<https://www.google.com/maps>

AIRTAC ENTERPRISES PHILS. CO. LTD. CORP

MAIN OFFICE: UNIT 57 & 58 CENTURY COMMERCIAL COMPLEX V
PALIPARAN ROAD SALAWAG DASMARIÑAS, CAVITE

TELEPHONE NO. : (046)430-0027 (046)430-0034 (046)430-0080
(046)884-6468 (046)884-6252 (046)884-1155
(046)884-1166 (046)884-6296 (046)686-2217
(046)686-2204 (028) 463-1269 (028)463-1270
(028)463-1279

EMAIL ADDRESS: AIRTAC.ATCGROUP@YAHOO.COM

MANILA BRANCH: 527-A, Valenzuela, 1440 Metro Manila
TELEPHONE NO.: 0945-522-8595 / 0962-589-0686

CEBU BRANCH: Mandawe City Cebu
TELEPHONE NO. 0954-197-9213 / 0961-745-6005

BACOLOD BRANCH: Bacolod, negros Occidental
TELEPHONE NO. 0905-441-5695 / 0962-742-4187

CAGAYAN DE ORO BRANCH: Cagayan de Oro, Misamis Oriental
TELEPHONE NO. 0961-641-1927



8511001G



Angle Hose Valve

Size: 2 1/2" Groove inlet x HOSE THREAD-M outlet

Material:
Body: Brass
Handwheel: Iron with red painted
Female: Brass/Chrome/Polished

Features:
Groove inlet X Male hose thread outlet

Specifications:
Working Pressure: 300PSI

Approvals:
UL Listed/ULC Approval/FM Approval



8521002

8521003

8521043

8511002



Angle Hose Valve

Size: 2 1/2" Groove inlet x NPT-F outlet


Material:
Body: Brass
Handwheel: Iron with red painted
Female: Brass/Chrome/Polished

Features:
Groove inlet X Female hose NPT outlet

Specifications:
Working Pressure: 300PSI

Approvals:
UL Listed/ULC Approval/FM Approval

8511096



Angle Hose Valve

Female X Male
1 1/2" F x 1 1/2" M
Material: Brass Body
Handwheel: Iron with red painted
Rated pressure 300PSI

8511097



Angle Hose Valve

Female X Male
1 1/2" F x 1 1/2" F
Material: Brass Body
Handwheel: Iron with red painted
Rated pressure 300PSI

HOSE VALVE

SIAMESE CONNECTION

OTHER VALVE

ADAPTERS

CAPS&PLUGS


NOZZLE

CABINETS

HOSE&RACK WRENCH

PLUMBING

8511001



Angle Hose Valve

Size: 2 1/2"

Material:
Body: Brass
Handwheel: Iron with red painted
Female: Brass/Chrome/Polished

Features:
Female NPT inlet X Male hose outlet

Specifications:
Working Pressure: 300PSI

Approvals:
UL Listed/ULC Approval/FM Approval



8521002




8521003



8521043

8511001A



Angle Hose Valve

Size: 2 1/2"

Material:
Body: Brass
Handwheel: Iron with red painted
Female: Brass/Chrome/Polished

Features:
Female NPT inlet X Female hose outlet

Specifications:
Working Pressure: 300PSI



8561001



8561002




8511001B



8511001C

8511004



Angle Hose Valve With Hydrolator

Size: 1 1/2" FxM

Material:
Body: Brass
Handwheel: Iron with red painted
Female: Brass/Chrome/Polished

Features:
Female NPT inlet X Male hose outlet with hydrolator

Specifications:
Working Pressure: 300PSI

Approvals:
UL Listed/ULC Approval/FM Approval




8521004



8521002A

8511003



Angle Hose Valve With Hydrolator

Size: 1 1/2" FxF

Material:
Body: Brass
Handwheel: Iron with red painted
Female: Brass/Chrome/Polished

Features:
Female NPT inlet X Female hose outlet with hydrolator

Specifications:
Working Pressure: 300PSI

Approvals:
UL Listed/ULC Approval/FM Approval



8561003



8511003A

HOSE VALVE

SIAMESE CONNECTION

OTHER VALVE

ADAPTERS

CAPS&PLUGS

NOZZLE

CABINETS

HOSE&RACK WRENCH

PLUMBING

8511074



Pressure restricting valves with hydrolator

Size:1 1/2"FxM
Material:
Body:Brass
Handwheel:Iron with red painted
Female:Brass/Chrome/Polished
Features:
Female NPT inlet X Male outlet with hydrolator
Specifications:
Working Pressure:175PSI

8511075



Pressure restricting valves with hydrolator

Size:1 1/2"FxF
Material:
Body:Brass
Handwheel:Iron with red painted
Female:Brass/Chrome/Polished
Features:
Female NPT inlet X Female outlet with hydrolator
Specifications:
Working Pressure:175PSI

8511080



Pressure restricting valves

Size:2 1/2"FxM
Material:
Body:Brass
Handwheel:Iron with red painted
Female:Brass/Chrome/Polished
Features:
Female NPT inlet X Male outlet
Specifications:
Working Pressure:175PSI

8511081



Pressure restricting valves

Size:2 1/2"FxF
Material:
Body:Brass
Handwheel:Iron with red painted
Female:Brass/Chrome/Polished
Features:
Female NPT inlet X Female outlet
Specifications:
Working Pressure:175PSI



8511042	8511041	8511005
Gate Valve	Gate Valve	Hydrant Gate Valve
Size:2 1/2"FxM Male NPT Inlet & Male Hose Thread Outlet,Available With or Without Cap and Chain	Size:1/2"-4"FxF Straight way pattern Handwheel: Iron with red painted	Size:2 1/2"FxM Material:Brass Body Handwheel:L shape. iron Finishes:Brass Features:O-ring seal ,Swivel With Pin or Rocker Lugs



8511040	8511006
Angle Globe Hose Valve	Leader Line Valves
Size:2 "FxM Material:Brass body Handwheel:Iron in red	1 1/2"x1 1/2"x2 1/2" Female Swivel Hose InletxMale Hose Outlet Brass Leader LineSiamese ,with pin lug swivels. Painted red cast brass body Both rocke or pin lugs available with SS handles.

8511030



Siamese Connections with Clapper

Size:4"x2 1/2"x2 1/2"Str Body

Material:
Body:Brass
Finishes:Brass

Features:
2 Way inlet body with swing clapper
Pin or lug hose thread swivel, Straight NPT outlet connection

Specifications:
Working Pressure:300PSI

Approvals:
UL Listed/ULC Approval/FM Approval/COC Approval



8561004 8561005 8561006 8561007



8521005/8521006 8521042 8521001

8511031



Siamese Connections with Clapper

Size:4"x2 1/2"x2 1/2"Angle Body

Material:
Body:Brass
Finishes:Brass

Features:
2 Way inlet body with swing clapper
Pin or lug hose thread swivel, Straight NPT outlet connection

Specifications:
Working Pressure:300PSI

Approvals:
UL Listed/ULC Approval/FM Approval/COC Approval



8561008 8561009 8561010 8561011



8531002
Red round plate, Alum.2 1/2",4"




8531004
Red round plate, Alum.2 1/2",4"



8521048
Plastic Quick Plug



8531003
Brass round plate 2 1/2",4"



8511032

Hydrant Connection

4"groovedx2 1/2"x2 1/2"cast brass
angle body wall hydrant connection.

8511033

Hydrant Connection

4"groovedx2 1/2"x2 1/2"cast brass
angle body wall hydrant connection.



8511088

Siamese

Size:6"x2 1/2"x2 1/2"x2 1/2",
4"x2 1/2"x2 1/2"x2 1/2"

8511089

Siamese

Size:6"x2 1/2"x2 1/2"x2 1/2",
4"x2 1/2"x2 1/2"x2 1/2"



8511035

Snoot

2 1/2"Hose Thread cast
brass Check Snoot.
Finish:Polished Brass or
Polished Chrome

8511072


Snoot

2 1/2"Hose Thread cast
brass Check Snoot.
Finish:Polished Brass or
Polished Chrome


8511043

Siamese

Size:4"x2 1/2"x2 1/2"
Angle Fire Dept. inlet
connection
with clappers and hose swivels
Rated pressure 300PSI



8521031	8521030
Fire dept outlet connection	Fire dept outlet connection
Size:4"x 2 1/2"x 2 1/2"	Size:4"x 2 1/2"x 2 1/2"



8521072	8521073
Siamese	Siamese
Size:6"x 2 1/2"x 2 1/2"	Size:6"x 2 1/2"x 2 1/2"

8511099
Freestanding FDC inlet connection with body, plate, 18" sleeve, and plugs & chains.
8521074:4" FNPTx2 1/2"x2 1/2"
8521075:6" FNPTx2 1/2"x2 1/2"



8511034	8511051	8511038
Check Valve	Check Valve	Check Valve
4"Groove without thread	4"Male inlet X Groove Outlet	4"Male inlet X Female Outlet



8511044	8511087
Test&Drain Valve	Trim Valve
Size:1",1 1/4",2" Forged brass,Tapped for pressure gauge outlet. Positive positioning of handle for test, drain & off.Integrated sight glass. Handle:Iron Finish:BRASS	3-way 1/4" FNPT Size:F1/4"xF1/4"xF1/4"



8521040 Adpator	8541004 Residential Siamese	8521036 Adaptor
Sizes :6"x4"FXM	1 1/2" brass single inlet connection for residential systems. 1 1/2" pin lug plug with chain. 113.5 O.D. round plate, with	Size :1 1/2"x1 1/2" 2 1/2"x2 1/2" Finish :Brass/Chrome plated



8521032 Brass Adaptor	8521033 Hexagon Swivel Hose Adaptor	8521086 Hexagon Swivel Hose Adaptor
Female Swivel x Male-Pin Lug Size:2 1/2" Finish :Brass/Chrome	Brass Female Swivel x FeMalePin Lug Size :2 1/2" Finish:Brass/Chrome	Brass Female Swivel x FeMalePin Lug Size :2 1/2" Finish:Brass/Chrome



8521037 Adpator	8521038 Hexagon cast brass Hose Connector	8521039 Brass Reducer with either pin lug or rocker lug.
Sizes :1 1/2"x1 1/2", 2 1/2"x2 1/2" Finish :Cast brass	Sizes :1 1/2"x1 1/2" 2 1/2"x2 1/2" Finish :Brass/Chrome	Size:2 1/2"x1 1/2", 2 1/2"x3/4", 2 1/2"x1", 2 1/2"x1 1/2", 2 1/2"x2" Finish:Brass

8521044



Fire Hydrant Parts

8571014
8571013

Fire Hydrant Aluminium Parts
Long/Short

8511104


Material Quality:AL
Size:1.5"

Product Number	Inlet
8521061	3"STORZ
8521062	2.5"STORZ
8521063	2"STORZ
8521064	1 3/4"STORZ
8521065	1.5"STORZ



Product Number	Inlet
8521067	3"STORZ
8521068	2.5"STORZ
8521069	2"STORZ
8521070	1.5"STORZ

Product Number	Inlet
8521056	3"STORZ
8521057	2.5"STORZ
8521058	2"STORZ
8521059	1 3/4"STORZ
8521060	1.5"STORZ



Product Number	Size
8521042	2 1/2"
8521043	



8511100 Coupling	8511101 Coupling	8511102 Coupling	8511103 Coupling
Material Quality:AL Size:25,40,50,65,80	Material Quality:AL Size:25,40,50,65,80	Material Quality:AL Size:25,40,50,65,80	Material Quality:AL Size:25,40,50,65,80



8521001	8521002
Brass Plug&Chain	Brass Plug&Chain
Size:1 1/2", 2 1/2" Finish:Brass/Chrome	Size:1 1/2", 2 1/2" Finish:Brass/Chrome



8521003	8521004	8521049
Plastic Cap&Chain	Plastic Cap&Chain	Plastic Cap&Chain
Size:2 1/2" Finish:Red/Chrome	Size:1 1/2" Finish:Red/Chrome plated	Size:2 1/2" Finish:Red/Chrome



8521005	8521047	8521048
Quick Plug Alum	Fit over a standard cabinet latch cast aluminum	Plastic Quick Plug



8521085
Plastic Cap&Chain
Size:2 1/2"



8511007	8511048	8511093
Brass Nozzle	Alum Nozzle	Alum Nozzle
Size: 1",1 1/4", 1 1/2",2"	Size:1 1/2"	Size:2 1/2"



8511008	8511045	8511046
Lexan Nozzle	Lexan Nozzle	Lexan Nozzle
Size:1 1/2"	Size:1 1/2"	Size:2 1/2"



Sprinklers

Type: Upright/Pendent/Sidewall
Dia: DN15
Response: SR&QR
Finish: Brass/White Painted
Temperature: 68°C K5,6



Sprinkler Head



Landing Valve
Size: 2.5" x 2.5"



Landing Valve
Size: 2.5" x 2.5"



Landing Valve
Size: 2.5" x 2.5", 1.5" x 1.5"



Item No	W x H x D	Hose Specification
8551001	800x800x350mm	19mmx30m 25mmx25/30
Thickness can be changed upon request.		

Item No	W x H x D	Hose Specification
8551002	800x800x350mm	19mmx30m 25mmx25/30
	760x280x230mm	9-12kg Fire Extinguisher
Thickness can be changed upon request.		



Item No	W x H x D	Hose Specification
8551003	750x750x250mm	19mmx30m 25mmx25/30
Thickness can be changed upon request.		

Model No	Type	Hose Diameter&Length	W x H x D	Min Size:WxHxD (mm)
8541018	Manuzl&Swinging	25mmx20m/25m/30m	600x570x210mm	750x750x250
			600x580x210mm	
Thickness can be changed upon request.				



Model No	Type	Hose Diameter&Length	W x H x D	Min Size: WxHxD (mm)
8541019	Manuzl&Swinging Pige	19mmx20m/25m/30m/36	510x550x320mm	700x700x360
Thickness can be changed upon request.				

HOSE VALVE

SIAMESE CONNECTION

OTHER VALVE

ADAPTERS

CAPS&PLUGS

NOZZLE

CABINETS

HOSE&RACK WRENCH

PLUMBING



8541010	8541011	8541020
Tpu Fire Hose	Double Sheet Fire Hose	PVC Fire Hose
Light weight, ozone resistance, abrasion resistance, Low-temperature resistance, oil resistance, flexure resistance, friction loss less for maximum flow Long serving life.	Double jackets, meeting higher pressure, abrasion high-resistance	Light weight, ozone resistance, abrasion resistance, Low-temperature resistance, oil resistance, flexure resistance, friction loss less for maximum flow, Long serving life.



8541009	8521034	8521035
Hose Rack	Brass Coupling	Rack Nipple
Material: Steel Thread Size: 1 1/2", 2 1/2" Finish: Red/chrome	With brass expansion ring Rocker Lugs on the female and male end Finish: Cast Brass/ Chrome Size: 1 1/2"	1 1/2", 2 1/2" Rack nipple, Brass/Chrome plated



8531003
Brass round plate, 2 1/2", 4"
8531002
Red round plate, Alum. 2 1/2", 4"
8531004
Red round plate, Alum. 2 1/2", 4"



8531007
Polish brass plate, Brass



8531005
15x9 Polish brass plate, Brass/Chrome plated
8531001
15x9 Polish brass plate, Brass/Chrome plated



8541007	8541017	8541024
Trinal Wrench Cast Aluminum Combination	Hydrant Wrench	Square Hydrant Wrench
1 1/2" and 2 1/2" Coupling Spanner	with length 19-1/2" Ductile iron head with a deeply.	2"x3"



8541012	8541013	8541014
Alum Wrench	Hydrant Wrench	Adjustable Hydrant Wrench
With 7-1/2" Length	Length: 15"	2 1/2" Heavy Duty



8541015	8541016	8541008
Square Hydrant Wrench	Grip-All Spanner Wrench	Double Head Adjustable Hydrant Wrench



8541025	8541026
axeFire	axeFire



8511037	8511098	8511083
Ball Drip	Check Valve	Check Valve
1/2", 3/4" Cast brass straight connection	Size: F1/2"xF1/2", F3/4"xF3/4" F1"xF1", F1 1/4"xF1 1/4" F1 1/2"xF1 1/2", F2"xF2	Size: F1/2"XF1/2", F3/4"XF3/4" F1"XF1", F1 1/4"XF1 1/4" F1 1/2"XF1 1/2", F2"XF2"



8511095	8511082
Ball Valve	Ball Valve
Size: F1/2"XΦ15, F3/4"XΦ20 F1"XΦ25, F1 1/4"XΦ32	Size: F1/2"XF1/2", F3/4"XF3/4" F1"XF1", F1 1/4"XF1 1/4" F1 1/2"XF1 1/2", F2"XF2"



8511084	8511086
pressure reducing valve	Pipeline sight glass
Size: 1", 1 1/4", 1 1/2"	Size: 1/2", 3/4", 1"

Product Number	Size
8581001(30)	1/2"
8581001(18)	3/4"
8581001(19)	1"
8581001(20)	1 1/4"
8581001(21)	1 1/2"
8581001(22)	2"
8581001(31)	2 1/2"
8581001(23)	3"
8581001(24)	4"



Product Number	Size
8581002(32)	1/2"
8581002(25)	3/4"
8581002(26)	1"
8581002(27)	1 1/4"
8581002(28)	1 1/2"
8581002(29)	2"

Product Number	Size
8581003(00)	3/4"
8581003(01)	1"
8581003(02)	1 1/4"
8581003(03)	1 1/2"
8581003(04)	2"
8581003(11)	4"



Product Number	Size
8581004(12)	1/2"
8581004(13)	3/4"
8581004(05)	1"
8581004(06)	1 1/4"
8581004(07)	1 1/2"
8581004(08)	2"
8581004(09)	2 1/2"
8581004(10)	3"
8581004(11)	4"



8581006	8581007	8581008
Ball Valve	Ball Valve	Ball Valve
Size:1/2",3/4",1"	Size:1/2",3/4",1",1 1/4",1 1/2",2"	Size:1/2",3/4",1",1 1/4",1 1/2",2"



8581009	8581010
Bibcock	Bibcock
Size:1/2"x3/4",3/4"x1"	Size:1/2"x3/4",3/4"x1"



8581011	8581012	8581013
Ball Valve	Ball Valve	Ball Valve
1/4",3/8",1/2"	Size:1/2"x3/8",1/2"x1/2"	Size:1/2"x3/8",1/2"x1/2"



8581015	8581016	8581017	8581025
8581018	8581027	8581028	8581029
8581022	8581033	8581035	8581039
8581026	8581041	8581043	8581044
8581048	8581049	8581052	8581054
8581055	8581061	8581062	8581059



8571001
Clamp For Pipe

8571002
Clamp For Pipe

8571003
Clamp For Pipe



8571004
Clamp For Pipe

8571005
Adaptor

8571006
Clamp For Pipe



8571007
Base

8571008
Elbow

8571009
T Fitting

8511055



8541021



8511056



8541022



8511059



8541023

